

Price List

All prices: DKK



Content

General Sales and delivery terms	3
General information	6
giroflex 10 Sit-Stand Stool	7
giroflex 313 Swivel Chair	8
giroflex 313 Conference Chair	9
giroflex 313 Spare parts	10
giroflex 40 Swivel Chair	11
giroflex 40 Spare parts	12
giroflex 353 Swivel Chair	13
giroflex 353 Spare parts	15
giroflex 64 Swivel Chair	17
giroflex 64 QUILT Swivel Chair - Special Collection	19
giroflex 64 Executive Chair	20
giroflex 64 Spare parts	22
giroflex 68 Swivel Chair	25
giroflex 68 Spare parts	27
Measurements - Office Range (1)	30
Measurements - Office Range (2)	31
Packaging measurements	32
Standard fabrics	37
Product specific fabrics	47
Extended Fabric & Colour Collection	49

General Sales and delivery terms

GENERAL SALES AND DELIVERY TERMS

This document applies for contracted distributors of Giroflex in Denmark (including Faroe Islands and Greenland).

Contact information

Flokk Customer Service
Phone: +45 99 50 55 00
info-dk@flokk.com
flokk.com

Pricing

All prices in DKK exclusive of VAT. Valid from 01.01.2026.

Quotations are valid for 30 days unless otherwise agreed.

Any typographical errors shall not be binding for Flokk and will be subject to correction without liability to the vendor.

Transport & Logistic costs

Shipping fee of 5% of the net order value (min. DKK 250) is added on all orders, which is not delivered to addresses used or owned by the distributor.

Time specific delivery on a specific date and time indication is possible on project orders and can only be ordered on request via Customer Service, Flokk A/S. The specific delivery will incur a transport charge calculated on the specific items, weight and volume.

Delivery lead times

Standard dispatch times from factory	<u>Working days</u>
Quick ship	5-10
Standard fabric & colour collection	15
Extended fabric & colour collection	> 25*
On request / Special products	on request

Minimum 5 transport days to be added on top of production lead time.

* Provided that the supplier has the fabric in stock.

Longer lead times may occur periodically, during Holidays and for large orders.

Change of orders within the quick ship program are not possible.

Condition of delivery

Ex Works (Incoterms 2020), including packaging. Flokk can not guarantee for delivery on pallets for all their products. For products where pallets are not standard, special agreements must be made directly with Customer Service. Extra costs for delivery on pallets might occur.

Visible transport damage and discrepancies in the number of items received must always be noted on the bill of carriage at the time of receipt and reported to the carrier and Flokk within 7 calendar days after receipt of the goods.

Invisible damage (not damaged packaging) must be reported in writing to Flokk within 7 calendar days after receipt of the goods.

For claims and transport damage you need to take photos and document the damage, before reporting it in writing to Flokk.

Please document:

- Photo of Flokk product label (including order no.)
- Photo of damaged product goods
- Photo of damaged packaging (transport)
- Copy of transport document or invoice
- Short description of claim

Ex-work deliveries where customers shall arrange their own transport are possible, but the customer is responsible for all import tax duties including certificates for Country of origin, unless agreed with Flokk. A confirmed delivery date can only be given once all local import duties have been paid.

Delivery and returns

Flokk A/S does not deliver to private addresses and does not accept returns.

Ordering procedure

Orders must be placed in writing and include the following specifications:

- Product /model
- Number of products
- Fabric/leather and colour code
- Plastic colour for products with plastic details
- Metal colour for metal parts
- Type of castors / glides
- Options, i.e. armrests, linking device, etc
- Desired delivery date
- Delivery address
- Project no. (if any)

Please make all orders as clear as possible as this will enable us to provide more efficient delivery. If something is unclear, please do not hesitate to contact Customer Service.

Acknowledgement of orders

All orders will be acknowledged. Please check acknowledgement and contact Customer Service as soon as possible if there are any amendments to your order. Flokk can not be held responsible for customer error or omissions.

Once an order acknowledgement has been sent, the order will go into production. Any amendments received after this date might be chargeable.

Change of order

Amended orders (all changes & cancellations) taking place 2 days after receiving the order acknowledgement will incur a charge.

- Amended order (all changes & cancellations) before production start will incur a charge of 500 DKK per order
- Amended order & cancellations after purchasing has started will incur a charge of 750 DKK per order + cost of materials

Change of orders within the quick-ship collection is not possible.

Postponement of confirmed orders might be possible, but Flokk will raise eventually charges to cover for storage and handling of the products on order.

For further information regarding change of orders please contact Customer Service.

Non-standard orders

The definition of non-standard orders (special products) are products and configurations that are not mentioned in the pricelist. Should an order include both standard and non-standard products, the lead time on all products will default to the longest lead time. General lead time for non-standard products is on request and depends on the configuration of the products.

On request fabrics /leather and Customer Own fabric/leather

Fabrics and leather that are not tested on our products need to have an upholstery test before we can approve it. This concerns both fabrics/leather that are supplied by the customer and fabrics/leather that are supplied by Flokk but not previously used on the actual product.

- Minimum quantity of value of the order / importance of the project must be evaluated before we start the process
- A fee for testing will be charged pr product to test (DKK 1.545 per tested unit).
- A quantity of fabric must be supplied to Flokk to facilitate creating new templates. 5 meters pr soft seating product and 2 meters pr task/meeting product. This fabric will be used in the templating/design process.
- Once the fabric is approved, the order will be processed at standard lead time, starting from the date of approval.
- If the fabric is deemed unsuitable for the requested product, the patterning charge will not be refunded.

Warranty

We offer a 5-year (3-years for 24/7 chairs) warranty on construction, material and workmanship of our products, subject to appropriate handling and normal wear and tear. The warranty for covering materials, pneumatic parts, castors and glides is limited to 2 years in any case. The information indicated on the label under the chair is determining for the guarantee period.

The warranty excludes "On request" fabrics, impact damage and torn upholstery materials caused by careless handling, or normal wear and tear to covering materials, castors and glides.

No warranty is provided with regard to the identical colouring of materials and leather in the case of repeat orders, nor for CleanGuard treatments or damage in consequence of self-repairs.

Leather

Leather is a natural product. Grain, cracks and wrinkles are authentic proof of this material. These typical characteristics will not be accepted as grounds for complaint.

Wood

Wood is also a natural product. Natural features of wood will not be accepted as grounds for complaint.

Certifications & approvals

Flokk is ISO 9001 accredited. Giroflex chairs are tested in accordance with EN 1335. The German test institute TÜV and Intertek has approved and issued the GS certificate (Geprüfte Sicherheit) for many Giroflex chairs.

The following products are certified with the label GREENGUARD Gold

- giroflex 40
- giroflex 313
- giroflex 64

Please contact our Customer Service for further information.

Giroflex have the following EPD-certified product families, and will continue to expand our certification:

- giroflex 40
- giroflex 64
- giroflex 313
- giroflex 353 swivel
- giroflex 353 conference

Giroflex is continuously working with quality and sustainability certifications for our products.

Please advice our sustainability pages and product pages on Flokk.com for the latest updates about certifications.

DISCLAIMER

Flokk disclaims any responsibility for products that are configured or assembled in a different way than Flokk's official configurations.

That is, as a result of component purchases, special orders or the like.

Maintenance Guide

Care of fabric upholstery

Regular vacuum cleaning is recommended. Vacuum clean the chair with a furniture brush or wipe it with a clean white cloth or sponge slightly dampened with lukewarm, clean water. Marks and stains should be removed with a proprietary cleaner.

Care of leather upholstery

Wipe with a slightly damp cloth and gently rub dry. Good proprietary hide food should be applied at least once a year and more often if the leather is in a dry atmosphere or close to a heat source. For additional maintenance advice please contact our customer service team or our website flokk.com

Care of gas stem

Gas stems should be periodically wiped clean with a cloth and general-purpose solvent, then a fingertip of light grease applies.

Packaging Material – recycling

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations - and follow your local regulations.

If you have questions on how to handle waste packaging material, please inform your contact person within Flokk.

End of Life – recycling

We perform mono-material separation of all chairs that are no longer usable and pass the individual materials along for processing and recycling. We encourage you to ensure proper recycling of your chair and its various components.

If you have questions on how to dispose or return your chair after use, please contact our Customer Service.

General information

EXTRA COSTS FOR SPECIAL SERVICES

(net. no rebate deductible)

Special metal colours and combinations		DKK
Special metal colours		On request
Combination choice outside given price-list standard	Order fee	500
	Surcharge per chair	100

Delivered cover materials (outside Giroflex collections)		DKK
On request fabric (delivered by customer) (PG 1)	Order fee fabric	500
	Order fee leather	500
Upholstery test of unknown cover materials	Unique fee	1545

Procurement to DDP supplier (address on request)

GIROFLEX QUICK-SHIP DELIVERY PROGRAM

The following selected chair models and configurations are available in the Quick-ship delivery program.

Delivery time 5-10 working days. (after order entry / transportation days must be added)

Model		Armrests					Base		Fabric and colour		
	order number	without	fixed	2D plastic, Softpad	4D, plastic, Softpad	4D, aluminium, Softpad	Plastic	Aluminium	Xtreme black EXR009	Gaja black GA60999	Select black SC60999
giroflex 353	353-4029*	x		x	x		x		x	x	x
giroflex 64	64-3078	x				x		x	x	x	x
giroflex 64	64-3578	x				x		x	x	x	x

*Mesh back Runner black - RUN60999

Choice: castors for carpet or hard floors

Please note: to be able to provide this service to all customers, there is a limit of 10 chairs per customer per day.

For orders over 10 chairs, please contact our Customer Service tel: +45 99505500, email: info-dk@flokke.com.

Subject to holiday seasons and high production volume.

giroflex 10 Sit-Stand Stool

Standard configuration
Inclination angle 14°
Seat height adjustment 64 - 81 cm
Seat upholstered or integral foam
Column tube black
Foot disc aluminium powder coated in 810 black, 812 pearl-metallic or 813 alu-metallic
Rubber sole for hard and soft floors

Designed by Zemp + Partner Design, update by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	Price
10-2020	giroflex 10-2020 sit-stand stool Seat upholstered		2 663	2 686	2 793	2 883	
10-3020	giroflex 10-3020 sit-stand stool Seat integral foam black						2 687
Accessories/Options/Surcharges:							
	Cone upholstered		1 290	1 303	1 355	1 420	
CL6003	CleanGuard seat (Only for: 10-2020)						179



option "Cone upholstered"

giroflex 313 Swivel Chair

Standard configuration

Synchronised mechanism Balance Move with fully automatic weight adjustment
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner or upholstered
 Seat height adjustment 39 - 51 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Back and seat support in aluminium 810 black, 812 pearl-metallic, 813 alu-metallic
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 65mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 Type B // GREENGUARD Gold Certification, EPD ISO 14025
 German Design Award Winner 2017, Red Dot Award Winner 2017 / Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
313-4039	giroflex 313-4039 swivel chair Backrest mesh Runner		4 529	4 570	4 752	5 059	5 363	5 774	6 756	
313-4539	giroflex 313-4539 swivel chair Backrest upholstered		4 848	4 890	5 086	5 388	5 711	6 095	7 131	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed , plastic black 810									763
AR6013	Armrest fixed, aluminium, powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), softpad black									1 805
AR6019	Armrest fixed, aluminium polished, softpad black									2 370
FC6019	Seat and back frame aluminium polished									852
LI6045	Special seat height 49-65 cm									364
LI6050	Special seat height 52-69 cm									819
LI6070	Special seat height 57-74 cm									819
LI6090	Special seat height 64-81 cm									908
FR6001	Footring chromium plated, centre piece black, Ø 50 cm									991
FB6019	5-arm aluminium base polished									288
CL6003	CleanGuard seat (Only for: 313-4039)									179
CL6004	CleanGuard back/seat (Only for: 313-4539)									285

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 313 Conference Chair

Standard configuration

Synchronised mechanism Balance Move with fully automatic weight adjustment
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner or upholstered
 Seat height 45 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Back and seat support in aluminium 810 black, 812 pearl-metallic, 813 alu-metallic
 4-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 65mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 16139
 Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
313-4018	giroflex 313-4018 conference chair Backrest mesh Runner		4 322	4 361	4 535	4 859	5 150	5 565	6 511	
313-4518	giroflex 313-4518 conference chair Backrest upholstered		4 640	4 681	4 869	5 179	5 490	5 885	6 887	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed , plastic black 810									763
AR6013	Armrest fixed, aluminium, powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), softpad black									1 805
AR6019	Armrest fixed, aluminium polished, softpad black									2 370
FC6019	Seat and back frame aluminium polished									852
LI6101	Column height adjustable									288
LI6102	Column auto-return									377
FB6049	4-arm aluminium base polished									288
CA6030	Plastic glides , metal shaft powder coated									399
CA6031	Glides with felt , metal shaft powder coated									399
CL6003	CleanGuard seat (Only for: 313-4018)									179
CL6004	CleanGuard back/seat (Only for: 313-4518)									285

- Option "auto return" requires glides instead of castors

giroflex 313 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	165
123330810	Castor 65/18 Soft Self-Brake under load, for higher seats – Price per unit	165
Z12112092	Castor 65/11 Hard for Soft flors, braking when unloaded – Price per unit	28

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	129
122287810	Glide to swivel chair with felt – Price per unit	137

Item no	Bases	Price
223488700	Aluminium base 7530 Polished	1 009
223488810	Aluminium base 7530 Powder coated 313, black	690
223488812	Aluminium BASE 7530 Powder coated 313, pearl-metallic	703
223488813	Aluminium BASE 7530 Powder coated 313, aluminium metallic	703

Item no	Columns/Gas lifts	Price
822162810	Column/Gas lift Comfort, for seat height 39-51cm, black	458
823664700	Column/Gas lift Comfort, Chromed, for seat height 39-51cm, chrome	475

Item no	Armrests	Price
423463810	Armrest right giroflex 313-4039	276
423462810	Armrest left giroflex 313-4039	276

Item no	Armrest-parts	Price
223504810	Insert M6 Long giroflex 313-4039	47
223505	Insert M6 Short, giroflex 313-4039	47
915144	Torx Pan Head Screw M6X20	10

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S31340	Seat cushion, giroflex313-4039	811	818	851	1 218	1 292	2 219	2 597	
R31345	Back cushion, giroflex 313-4539	1 445	1 457	1 516	1 893	2 005	3 353	3 922	
R313-4039	Mesh back, Complete Part								1 097

Item no	Accessories	Price
815712710	Footring, 500 mm	1 151

giroflex 40 Swivel Chair

Standard configuration

- Synchronised mechanism
- Seat cushion with dual-zone seat profile
- Backrest mesh Runner
- Seat height adjustment 37-51 cm
- Seat- and backrest-support aluminium powder coated in 810 black
- Seat depth adjustment 6 cm
- Seat inclination angle 0°/-3°
- Lumbar support, height adjustable
- 5-arm plastic base in 810 black
- Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 // GREENGUARD Gold Certification, EPD ISO 14025, Blue Angel
Designed by Ito Design

Please note: Armrests cannot be added ore removed in a later stage.

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
										
40-4049	giroflex 40-4049		6 417	6 476	6 735	7 069	7 494	8 625	10 092	
Accessories/Options/Surcharges:										
7ARMR022	Armrest 3D, black plastic									2 166
	Headrest adjustable		732	739	768	806	855	985	1 152	
7ALCO006	Seat- and back-frame aluminium polished									260
7BASC013	5-arm aluminium base black									521
7BASC015	5-arm aluminium base polished									434
7TCAS028	Castors 65 mm for soft and hard floors									135
7TCAS024	Plastic glides									399
7TCAS025	Plastic glides with felt									399

giroflex 40 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors – Price per unit	129
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors. Brake when unloaded – Price per unit	129
Z12112092	Castor 65/11 Hard for Soft flors, braking when unloaded – Price per unit	28

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	129
122287810	Glide to swivel chair with felt – Price per unit	137

Item no	Bases	Price
PBC431000009005	Base, Aluminium, black, giroflex 40	860
Z03112310	Base, Aluminium, Polished,	742
Z03112222	Base, Plastic, black	234

Item no	Columns/Gas lifts	Price
Z03112421	Gaslift Black, giroflex 40, 39-51cm black	124

Item no	Mechanism parts	Price
Z05111450	Screw for connecting backrest to Mechanism	6
Z03113361	Mechanism, black LP26	2 215
Z04132849	Tension Lever, black, giroflex 40	33

Item no	Seat and back upholstered parts	Price
S40-4049	Seat, Mechanism + seat cushion preassembled.	3 778
R40-4049	Backrest, giroflex 40	3 517

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
Z12112258	Headrest Adaptor, giroflex 40								25
Z11111695	Headrest Cover, giroflex 40								13
KST40-4049	Headrest, Complete, giroflex 40	732	739	768	806	855	985	1 152	



giroflex 353 Swivel Chair

Standard configuration

Synchronised mechanism Automatic Move
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner or upholstered
 Seat height adjustment 39-51 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Seat depth adjustment 6 cm
 Backrest height adjustment 6 cm
 5-arm plastic base in 810 black
 Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025, Möbelfakta
 Designed by Paolo Fancelli

Please note: To achieve AX standard compliance configuration, please contact our Customer Service

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
353-4029	giroflex 353-4029 swivel chair Backrest mesh Runner		4 136	4 175	4 340	4 838	5 129	5 827	6 817	
353-4529	giroflex 353-4529 swivel chair Backrest upholstered		4 586	4 627	4 813	5 944	6 301	7 913	9 258	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed									554
AR6022	Armrest 2D, plastic support black, with softpad									899
AR6040	Armrest 4D, plastic support black, with softpad									1 187
AR6042	Armrest 4D, aluminium support polished, with softpad									1 785
AR6045	Armrest 4D-NPR, plastic support, with softpad									1 551
HR6001	Headrest adjustable fabric / skai@Palma									1 063
HR6002	Headrest adjustable mesh Runner (Only for: 353-4029)									1 063
AE6001	Coat hanger powder coated 810 black									775
SE6001	Seat 3D Move									886
ME6002	Seat tilt adjustable (forward tilt 4°)									423
LS6001	Lumbar support depth adjustable (Only for: 353-4529)									366
LI6012	Comfort column on standard seat height 39-51 cm									200
LI6025	Special seat height 41-55 cm									328
LI6035	Special seat height 46-62 cm									328
LI6045	Special seat height 49-65 cm									328

Accessories/Options/Surcharges:

LI6060	Special seat height 55-72 cm	739
LI6080	Special seat height 62-79 cm	908
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	991
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	399
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	135
CL6003	CleanGuard seat (Only for: 353-4029)	179
CL6004	CleanGuard back/seat (Only for: 353-4529)	285

- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 49-65 cm and above

giroflex 353 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors – Price per unit	129
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors. Brake when unloaded – Price per unit	129
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats – Price per unit	158
123328810	Castor 50/18 Soft Self-Brake under load, for higher seats – Price per unit	158
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	165
123330810	Castor 65/18 Soft Self-Brake under load, for higher seats – Price per unit	165
Z12112092	Castor 65/11 Hard for Soft flors, braking when unloaded – Price per unit	28

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	129
122287810	Glide to swivel chair with felt – Price per unit	137

Item no	Bases	Price
422614810	Plastic base 7130, Black	513
222615700	Aluminium Base 7030 Polished	1 128
222615810	Aluminium Base 7030 Powder-coated, Black	513
222615812	Aluminium Base 7030 Powder-coated, Pearl metallic	1 128
222615813	Aluminium Base 7030 Powder-coated, Aluminum metallic	1 107

Item no	Columns/Gas lifts	Price
821050810	Column 34, 39-51cm, black	276
823017810	Column 34 Comfort, 39-51cm, black with cushion.	458
813877810	Column 22, special seat height 46-62cm	778

Item no	Mechanisms	Price
722621810	Mechanism 520 Complete, giroflex 353	1 944
722622810	Mechanism 521 Complete, with negative tilt, giroflex 353	1 506

Item no	Armrests	Price
622722810	Armrest pair.Fixed, Plastic.Structured, giroflex 353	696
622652810	2D-Armrest pair, in plastic, with Softpad	960
622728810	4D-Armrest pair, in plastic, with Softpad	1 114
622656700	4D-Armrest pair, in Aluminium, with Softpad	1 279
622658810	4D-Armrest pair in plastic, with Softpad. NPR standard.	1 361

Item no	Armrest-sets	Price
624486810	2D-Armrest set, plastic Softpad, giroflex 353	1 208
624487810	4D-Armrest set, plastic Softpad, giroflex 353	1 365
624488700	4D-Armrest set, Aluminium Softpad, giroflex 353	1 530

Item no	Armrest-parts	Price
923792	Eccentric lever M8X49.5	65
923814	Eccentric lever, 4D armrest, Aluminium Arm support.M8X42	65
923165	Plastic Thread-SCREW 6X20	10
224047	Hex nut, size SW17 M8	10
222662	Armrest bridge 353-4029, giroflex 353-4029	93
422862810	Adapter for fixed armrest, giroflex 353	28

Item no	Seat and back plastic parts	Price
422617810	Seat shell, giroflex 353-4029	248
624276810	Backrest Preassembled, giroflex 353-40/4529	850

Please note: To achieve AX standard compliance configuration, please contact our Customer Service

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S35301	Seat cushion, giroflex 353-40/4529	811	818	851	1 218	1 292	2 219	2 597	
S35303	Seat cushion, giroflex 353-4029 3D	2 623	2 646	2 752	2 890	3 063	3 552	4 157	
R35301	Back cushion, giroflex 353-4529	1 155	1 165	1 211	1 601	1 697	2 515	2 942	
R35302	Back cushion with Lumbar support, giroflex 353-45	1 245	1 257	1 307	1 373	1 454	1 689	1 975	
R353-4029	Backrest Preassembled, giroflex 353-4029								1 039

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
222683810	Coat Hanger, without headrest, powder coated, giroflex 353								503
222684810	Coat Hanger, with Headrest, powder coated, giroflex 353								547
NP3533	Headrest.3D, Clean room, giroflex 353-4029								292
NP3531	Headrest cushion, giroflex 353	370	370	370	370	370	370	370	
KST353-4029	Headrest Complete, giroflex 353-4029	1 083	1 083	1 083	1 083	1 083	1 083	1 083	
422673810	Cover for Headrest, giroflex 353								47
622670810	Headrest set without pillow, giroflex 353								503
815712710	Footring, 500 mm								1 151

giroflex 64 Swivel Chair

Standard configuration

- Synchronised mechanism Organicmove
- Seat cushion with dual-zone seat profile
- Backrest upholstered
- Seat- and backshell in plastic 810 black
- Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
- Seat height adjustment 40-52 cm
- Seat depth adjustment 2.5 cm
- Backrest height adjustment 7 cm
- 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
- Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025
Designed by Walser Design / Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
64-3078	giroflex 64-3078 swivel chair Standard seat width 45 cm Low back height 47-54 cm		6 621	6 682	6 948	7 764	8 231	8 834	10 335	
64-3578	giroflex 64-3578 swivel chair Standard seat width 45 cm Medium back height 55-62 cm		7 515	7 583	7 886	8 942	9 479	10 255	11 998	
64-4578	giroflex 64-4578 swivel chair Medium seat width 48.5 cm Medium back height 55-62 cm		7 949	8 021	8 342	9 391	9 954	10 708	12 527	
Accessories/Options/Surcharges:										
	Upholstered backshell (Only for: 64-3078)		717	724	752	790	838	971	1 114	
	Upholstered backrest (Only for: 64-3578, 64-4578)		723	729	758	796	844	979	1 143	
AR6005	Armrest fixed									942
AR6020	Armrest 1D, steel support									1 496
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad									1 740
AR6039	Armrest 4D, aluminium support polished, with softpad									2 150
AR6055	Armrest 4D-NPR, aluminium support black, with softpad									1 941
AT6001	Armrest pad fabric									553
AT6002	Armrest pad leather									797

Accessories/Options/Surcharges:

CMF	Comfort upholstery	954
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic (Only for: 64-3578, 64-4578)	687
LS6001	Lumbar support depth adjustable	622
ME6003	Increased back tilt resistance	1075
SD6002	Seat depth adjustment 5 cm (Only for: 64-4578)	254
PU6000	Push rod cover	135
LI6030	Special seat height 43-59 cm	328
LI6035	Special seat height 46-62 cm	328
LI6050	Special seat height 52-69 cm	739
LI6075	Special seat height 59-76 cm	908
LI6095	Special seat height 66-83 cm	908
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	991
FB6019	5-arm aluminium base polished	288
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	135
CL6004	CleanGuard back/seat	285
CL6005	CleanGuard back/seat/upholstered backshell	442

- skai®Palma and Paloma Soft: only in combination with option "comfort upholstery"
- Option "armrest pad fabric/leather": available for 1D and 4D armrests
- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 64 QUILT Swivel Chair - Special Collection

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Comfort upholstery
 Seat- and backshell in plastic 810 black
 Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height adjustment 40 - 52 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025
 Designed by Walser Design / Paolo Fancelli

Please note that this product will be discontinued when fabrics our out of stock.

Item no	Base model +	Price Group (PG)	Price
64-3578-QUI	giroflex 64-3578-QUI swivel chair Standard seat width 45 cm Medium back height 55 - 62 cm		8 904
Accessories/Options/Surcharges:			
AR6005	Armrest fixed		942
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad		1 740
AR6039	Armrest 4D, aluminium support polished, with softpad		2 150
AR6055	Armrest 4D-NPR, aluminium support black, with softpad		1 941
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic		687
LS6001	Lumbar support depth adjustable		622
ME6003	Increased back tilt resistance		1 075
PU6000	Push rod cover		135
LI6030	Special seat height 43-59 cm		328
LI6035	Special seat height 46-62 cm		328
LI6050	Special seat height 52-69 cm		739
LI6075	Special seat height 59-76 cm		908
LI6095	Special seat height 66-83 cm		908
FR6001	Footring chromium plated, centre piece black, Ø 50 cm		991
FB6019	5-arm aluminium base polished		288
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded		135

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52 - 69 cm and above

giroflex 64 Executive Chair

Standard configuration

Synchronised mechanism Organicmove

Seat cushion with dual-zone seat profile

Backrest upholstered

Comfort upholstery

Seat- and backshell in plastic 810 black

Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic

Fixed armrest 810 black PUR pad with aluminium support in 810 black, 812 pearl-metallic, 813 alu-metallic

Seat height adjustment 40 - 52 cm

Seat depth adjustment 2.5 cm

Backrest height adjustment 7 cm

Push rod covering

5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic

Castors black Ø 50 mm for hard and soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025

Designed by Walser Design / Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
64-9278	giroflex 64-9278 executive chair Wide seat width 51 cm High back height 60 - 67 cm		14 461	14 593	15 177	16 405	17 388	17 893	20 935	
64-9778	giroflex 64-9778 executive chair Wide seat width 51 cm High back height 60 - 67 cm Fixed headrest		15 970	16 115	16 760	17 925	19 001	19 625	22 960	
64-9878	giroflex 64-9878 executive chair Wide seat width 51 cm High back height 60 - 67 cm Height adjustable headrest		17 296	17 453	18 151	19 262	20 418	20 985	24 553	
Accessories/Options/Surcharges:										
	Upholstered backshell		722	728	757	795	843	977	1 142	
AR6019	Armrest fixed, aluminium polished, softpad black									412
AR6033	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad									153
AR6039	Armrest 4D, aluminium support polished, with softpad									564
AR6055	Armrest 4D-NPR, aluminium support black, with softpad									354
AT6001	Armrest pad fabric									797

Accessories/Options/Surcharges:

AT6002	Armrest pad leather	1 075
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic	687
LS6001	Lumbar support depth adjustable	622
ME6003	Increased back tilt resistance	1 075
ME6019	Mechanism polished	2 659
LI6030	Special seat height 43-59 cm	328
LI6035	Special seat height 46-62 cm	328
LI6050	Special seat height 52-69 cm	739
LI6075	Special seat height 59-76 cm	908
LI6095	Special seat height 66-83 cm	908
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	991
FB6019	5-arm aluminium base polished	288
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	135
CL6004	CleanGuard back/seat	285
CL6005	CleanGuard back/seat/upholstered backshell	442

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52 - 69 cm and above

giroflex 64 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors – Price per unit	129
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors. Brake when unloaded – Price per unit	129
121469810	Dual wheel castor 65/18 Dual wheel castor 65/18 – Price per unit with brake, Hard for soft floors. Brake when unloaded	146
121470810	Dual wheel castor 65/18 with brake, Soft for hard floors. Brake when unloaded– Price per unit	146

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	129
122287810	Glide to swivel chair with felt – Price per unit	137

Item no	Bases	Price
213580700	Aluminium Base 7830.1 Polished	907
213580810	Aluminium BASE 7830.1 Powder-coated, black	677
213580812	Aluminium BASE 7830.1 Powder-coated, pearl-metallic	659
213580813	Aluminium BASE 7830.1 Powder-coated, aluminium metallic	677

Item no	Columns/Gas lifts	Price
823265810	Column 16, black, Standard seat height 40-51cm	458
823265700	Column 16, chromed, Standard seat height 40-51cm	568
813877810	Column 22, special seat height 46-62cm	778
812625810	Column 18, special seat height 52-69cm	903

Item no	Mechanisms	Price
713317810	Mechanism 200, black	4 325
713317812	Mechanism 200, pearl-metallic	4 325
713317813	Mechanism 200, aluminium metallic	4 325
713317700	Mechanism 200, polished aluminum	7 639
724426810	Mechanism 200 lumbar support, black	1 208
724426812	Mechanism 200 lumbar support, pearl-metallic	1 208
724426813	Mechanism 200 lumbar support, aluminium metallic	1 210
724426700	Mechanism 200 lumbar support, polished aluminum	1 208

Item no	Mechanism parts	Price
713322	Handle Right, tilt lock. Preassembled for mechanism 200	103
713321	Handle Left,height adjustment. Preassembled for mechanism 200	103
223352	Tension Lever, 200	165

Item no	Mechanism parts	Price
413103810	Turning knob, mechanism 200	38
414103810	Set of plastic Telescope-cover for gas lift, giroflex 64 and 60	184

Item no	Armrests	Price
413137810	Fixed armrest Left, giroflex 64-30/3578	547
413138810	Fixed armrest Right, giroflex 64-30/3578	547
614202810	4D-Armrest, Left Preassembled, black	994
614202812	4D-Armrest, Left Preassembled, pearl-metallic	994
614202813	4D-Armrest, Left Preassembled, aluminium metallic	994
614202700	4D-Armrest, Left Preassembled, polished aluminum	1 222
614203810	4D-armrest, Right Preassembled, black	994
614203812	4D-armrest, Right Preassembled, pearl-metallic	994
614203813	4D-armrest, Right Preassembled, aluminium metallic	994
614203700	4D-armrest, Right Preassembled, polished aluminum	1 222
620618810	4D-NPR standard, armrest right	731
213399810	Armrest Body, Left. giroflex 64-92/97, black	1 097
213399812	Armrest Body, Left. giroflex 64-92/97, pearl-metallic	1 097
213399813	Armrest Body, Left. giroflex 64-92/97, aluminium metallic	1 097
213399700	Armrest Body, Left. giroflex 64-92/97, polished aluminum	1 506
213400810	Armrest.Body, Right. giroflex 64-92/97, black	1 949
213400812	Armrest.Body, Right. giroflex 64-92/97, pearl-metallic	1 097
213400813	Armrest.Body, Right. giroflex 64-92/97, aluminium metallic	1 097
213400700	Armrest.Body, Right. giroflex 64-92/97, polished aluminum	1 506

Item no	Armrest-sets	Price
614131810	1D-Armrest set assembled for installation, giroflex 64, black	1 708
614131812	1D-Armrest set assembled for installation, giroflex 64, pearl-metallic	1 708
614131813	1D-Armrest set assembled for installation, giroflex 64, aluminium metallic	1 708
624439810	4D-Armrest set assembled for installation with bridge, giroflex 64, black	2 298
624439812	4D-Armrest set assembled for installation with bridge, giroflex 64, pearl-metallic	2 298
624439813	4D-Armrest set assembled for installation with bridge, giroflex 64, aluminium metallic	2 298
624439700	4D-Armrest set assembled for installation with bridge, giroflex 64, polished aluminum	2 757
624441810	4D-NPR preassembled 64 armrest set, black	3 266

Item no	Armrest-parts	Price
413204810	Armrest Top for 1D, giroflex 64-30/3578	103
413737810	Armpad with Foamed Top for 4D-Armrest, giroflex 64-30/3578	184
413401810	Armrest Top giroflex 64-92/97	1 136

Item no	Seat and back plastic parts	Price
413127810	Seat shell, giroflex 64-30/3578	238

Item no	Seat and back plastic parts	Price
413388810	Seat shell giroflex 64-45/9278	293
413128810	Back shell, giroflex 64-3078	338
413129810	Back shell, giroflex 64-35/4578	402
413389810	Back shell, giroflex 60 and 64-92/9778	850
624173810	Back shell with Lumbar function, giroflex 64-3078	822
624174810	Back shell with Lumbar function, Preassembled, giroflex 64-35/4578	822
624175810	Back shell with Lumbar function, giroflex 60 and 64-92/9778	1 279

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S64301	Seat Cushion. giroflex 64-30/3578	1 079	1 089	1 132	1 643	1 742	2 020	2 363	
S64321	Seat Cushion. giroflex 64-30/3578 CMF	1 424	1 438	1 495	2 014	2 134	2 742	3 208	
S64401	Seat Cushion. giroflex 64-40/4578	1 175	1 188	1 234	1 720	1 824	2 116	2 475	
S64421	Seat Cushion. giroflex 64-4578 CMF	1 542	1 556	1 619	2 133	2 261	2 960	3 463	
S64521	Seat Cushion. giroflex 64-92/9778	1 758	1 775	1 846	2 709	2 872	3 330	3 896	
S64405	Seat Cushion. D.50MM, giroflex 64-4578	1 250	1 264	1 313	1 797	1 906	2 209	2 585	
S64425	Seat Cushion D.50MM 64-4578 CMF	1 618	1 633	1 698	2 208	2 341	3 058	3 578	
S64322	Seat Cushion, QUILT, giroflex 64-3578-QUI								2 571
R64301	Back Cushion, giroflex 64-3078	1 242	1 252	1 304	1 775	1 881	2 182	2 552	
R64302	Back Cushion, giroflex 64-3078-LAB		535	556					
R64321	Back Cushion, giroflex 64-3078 CMF	1 640	1 655	1 720	2 243	2 378	3 213	3 757	
R64351	Back Cushion, giroflex 64-3578	1 424	1 438	1 495	1 969	2 088	2 422	2 833	
R64371	Back Cushion, giroflex 64-3578 CMF	1 889	1 907	1 983	2 295	2 433	3 449	4 035	
R64521	Back Cushion, giroflex 64-9278	2 492	2 515	2 614	3 537	3 749	4 504	5 269	
R64-5778	Back Cushion, giroflex 64-9778	2 492	2 515	2 520	3 537	3 749	4 504	5 269	
R64581	Back Cushion, giroflex 64-9878	2 492	2 515	2 614	3 537	3 749	4 504	5 269	
R64372	Back Cushion, QUILT,giroflex 64-3578-QUI								2 016
RS6430	Back shell, giroflex 64-3078	1 539	1 553	1 615	1 696	1 797	2 085	2 438	
RS6435	Back shell, giroflex 64-35/4578	1 633	1 647	1 713	1 799	1 908	2 211	2 588	
RS6452	Back shell, giroflex 64-9278	2 560	2 583	2 686	2 821	2 990	3 468	4 058	

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
NP6457	Headrest CUSHION 64-9778	1 394	1 411	1 474	1 481	1 497	1 668	1 948	
NP6458	Headrest CUSHION 64-9878	1 925	1 941	2 018	2 120	2 244	2 603	3 046	
213304810	Coat Hanger, Complete. Powder Coated, giroflex 64-3578								805
815712710	Footring, 500 mm								1 151

giroflex 68 Swivel Chair

Standard configuration

Synchronised mechanism Organicmove
Seat cushion with dual-zone seat profile
Backrest upholstered or mesh (Runner or Softtouch)
Y-support and mechanism in 810 black, 812 pearl-metallic, 813 alu-metallic
Seat height adjustment 40 - 52 cm
Seat depth adjustment 5 cm
Backrest height adjustment 7 cm
5-arm plastic base in 810 black
Castors black Ø 65 mm for hard and soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, EPD ISO 14025
Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
68-3509	giroflex 68-3509 swivel chair Backrest upholstered		5 529	5 580	5 802	6 725	7 129	8 417	9 848	
68-3519	giroflex 68-3519 swivel chair Backrest mesh (Runner or Softtouch)		6 538	6 597	6 861	7 474	7 922	8 289	9 700	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed									908
AR6070/6072/6073	Armrest 3D, aluminium support 810 black, 812 pearl-metallic or 813 alu-metallic									1 659
AR6079	Armrest 3D, aluminium support polished									2 057
SPD6000	Softpad for armrest 3D									577
AR6050	Armrest 4D, aluminium support black, with softpad									1 683
AR6055	Armrest 4D-NPR, aluminium support black, with softpad									1 903
HR6001	Headrest adjustable fabric / skai®Palma									1 696
HR6002	Headrest adjustable mesh Runner (Only for: 68-3519)									1 696
HR6003	Headrest Leather									1 986
HR6019	Headrest support chromium plated									153
CMF	Comfort upholstery 68-3509									908
CMF	Comfort upholstery 68-3519									598
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic 68-3509									697
AE6010	Coat hanger powder coated 810 black, 812 pearl metallic or 813 alu-metallic 68-3519									810
LS6001	Lumbar support depth adjustable (Only for: 68-3509)									633
ME6002	Seat tilt adjustable (forward tilt 4°)									288

Accessories/Options/Surcharges:

ME6019	Mechanism polished	1 363
YS6019	Y-support polished 68-3509	577
YS6019	Y-support polished 68-3519	810
PU6000	Push rod cover	135
LI6025	Special seat height 41-55 cm	328
LI6035	Special seat height 46-62 cm	328
LI6055	Special seat height 54-70 cm	739
LI6075	Special seat height 59-76 cm	908
LI6095	Special seat height 66-83 cm	908
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	991
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	399
CL6003	CleanGuard seat (Only for: 68-3519)	179
CL6004	CleanGuard back/seat (Only for: 68-3509)	285

- skai®Palma and Paloma Soft: only in combination with option "comfort upholstery"
- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 54-70 cm and above

giroflex 68 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats – Price per unit	158
123328810	Castor 50/18 Soft Self-Brake under load, for higher seats – Price per unit	158
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	165
123330810	Castor 65/18 Soft Self-Brake under load, for higher seats – Price per unit	165
121469810	Dual wheel castor 65/18 Dual wheel castor 65/18 – Price per unit with brake, Hard for soft floors. Brake when unloaded	146
121470810	Dual wheel castor 65/18 with brake, Soft for hard floors. Brake when unloaded– Price per unit	146
Z12112092	Castor 65/11 Hard for Soft flors, braking when unloaded – Price per unit	28

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	129
122287810	Glide to swivel chair with felt – Price per unit	137

Item no	Bases	Price
221813700	Aluminium base 9530 5-leg, polished	1 230
221813810	Aluminium base 9530 5-leg, Powder-coat, black	804
221813812	Aluminium base 9530 5-leg, Powder-coat, peral-metallic	804
221813813	Aluminium base 9530 5-leg, Powder-coat, aluminium metallic	804
421426810	Base, Plastic, black, 8830	558

Item no	Columns/Gas lifts	Price
822162810	Column/Gas lift Comfort, for seat height 39-51cm, black	458
823664700	Column/Gas lift Comfort, Chromed, for seat height 39-51cm, chrome	475
823053810	Column/Gas lift Comfort, for plastic base – seat height 39-51cm, black, giroflex 68	458
814954810	Telescope for Gas lift 175 MM, for special seat height 46-62 cm, giroflex 68	931
813877810	Column 22, special seat height 46-62cm	778

Item no	Mechanisms	Price
714796810	Mechanism 400, Preassembled, giroflex 68, black	3 943
714796812	Mechanism 400, Preassembled, giroflex 68, pearl-metallic	3 980
714796813	Mechanism 400, Preassembled, giroflex 68, aluminium metallic	3 980
714796701	Mechanism 400, Preassembled, giroflex 68, polished aluminum	5 007
714859810	Mechanism 401, Preassembled, giroflex 68, black	4 127
714859812	Mechanism 401, Preassembled, giroflex 68, pearl-metallic	4 167
714859813	Mechanism 401, Preassembled, giroflex 68, aluminium metallic	4 164
714859701	Mechanism 401, Preassembled, giroflex 68, polished aluminum	5 190

Item no	Mechanism parts	Price
414612810	Guide Below, giroflex 68	65
414518810	Guide Top, giroflex 68	65
215379	Leaf spring 3.2mm Mechanism 400	137
419488	Spring for mechanism 400	202
914823	Compression SPR.25 1X14 0X1.4	18
414632000	Lever to lock mechanism 400	65
414552810	Release button, back height adjustment, giroflex 68	65
414631810	Handle to lock mechanism, giroflex 68	28
414628810	Button to seat depth adjustment, giroflex 68	65
413988810	Turning Knob, mechanism 300/400	18

Item no	Armrests	Price
619406810	3D-Armrest Complete. Left Structured, black	1 079
619406812	3D-Armrest Complete. Left Structured, pearl-metallic	1 079
619406813	3D-Armrest Complete. Left Structured, aluminium metallic	1 079
619406700	3D-Armrest Complete. Left Structured, polished aluminum	1 317
619407810	3D-Armrest Complete. Right Structured , black	1 079
619407812	3D-Armrest Complete. Right Structured, pearl-metallic	1 079
619407813	3D-Armrest Complete. Right Structured, aluminium metallic	1 079
619407700	3D-Armrest Complete. Right Structured, polished aluminum	1 317
619613810	3D-Armrest Complete. Left, Softpad, black	1 417
619613812	3D-Armrest Complete. Left, Softpad, pearl-metallic	1 417
619613813	3D-Armrest Complete. Left, Softpad, aluminium metallic	1 417
619613700	3D-Armrest Complete. Left, Softpad, polished aluminum	1 655
619614810	3D-Armrest Complete. Right, Softpad, black	1 417
619614812	3D-Armrest Complete. Right, Softpad, pearl-metallic	1 417
619614813	3D-Armrest Complete. Right, Softpad, aluminium metallic	1 417
619614700	3D-Armrest Complete. Right, Softpad, polished aluminum	1 655
620617810	4D-NPR standard, armrest left	731
620618810	4D-NPR standard, armrest right	731
414768810	Fixed Armrest Y-support, left	547
414769810	Fixed Armrest Y-support, right	547

Item no	Armrest-sets	Price
624446810	3D-Armrestset preassembled., black	2 784
624446812	3D-Armrestset preassembled, pearl-metallic	2 784
624446813	3D-Armrestset preassembled, aluminium metallic	2 785
624446700	3D-Armrestset preassembled, polished aluminum	3 963
624447810	3D-Armrestset preassembled, Softpad, black	3 180
624447812	3D-Armrestset preassembled, Softpad, pearl-metallic	3 180

Item no	Armrest-sets	Price
624447813	3D-Armrestset preassembled, Softpad, aluminium metallic	3 182
624447700	3D-Armrestset preassembled, Softpad, polished aluminum	4 359
624450810	Fixed Armrestset preassembled.	2 006
624448810	4D-Armrestset preassembled, black	2 890

Item no	Armrest-parts	Price
618826810	3D-Armrest preassembled Left	376
618827810	3D-Armrest preassembled Right	376
418832810	Armpad, SoftPad for 2/3D-Armrest	338
418830810	Armpad, Structured 2/3D-Armrest	229
414614810	Insert Right 2/3D-Armrest	65
414770810	Fixed Armrest, Structured Top	137

Item no	Seat and back plastic parts	Price
414520810	Back shell	229
414531810	Seat Shell	137
624172810	Back shell with Lumbar Function, giroflex 68-3509	822

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S68351	Seat cushion, giroflex 68-3509	982	990	1 029	1 349	1 430	1 658	1 941	
S68371	Seat cushion, giroflex 68-3509 CMF	1 296	1 307	1 360	1 783	1 890	2 382	2 786	
R68351	Back cushion, giroflex 68-3509	904	914	950	1 316	1 396	1 620	1 895	
R68352	Back cushion, with Lumbar Function, giroflex 68-35	904	914	950	1 316	1 396	1 620	1 895	
R68371	Back cushion, with comfort upholstery	1 959	1 978	2 056	2 158	2 287	2 653	3 104	
R68372	Back cushion with comfort upholstery. With lumbar support	2 320	2 345	2 438	2 561	2 714	3 149	3 683	
R68-3519	Backrest mesh preapplied. giroflex 68-3519								2 147
R68-3619	Backrest mesh preapplied. Drilled. giroflex 68-3519								2 215

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
KST68-3609	Headrest complete, giroflex 68-3509	1 607	1 622	1 627	1 771	1 877	2 054	2 403	
KST68-3619	Headrest complete, giroflex 68-3519	2 136	2 156	2 161	2 354	2 495	2 732	3 194	
NP68	Neckrest cushion 68-3519	1 460	1 474	1 532	1 609	1 706	1 979	2 314	
815712710	Footring, 500 mm								1 151

Measurements - Office Range (1)

The stated dimensions are based on EN 1335-1 for task chairs and EN 16139 for conference and visitor chairs. Please note that measurements may be subject to change, as products are continuously re-tested.

Our test reports are regularly reviewed and updated. For the most recent information or detailed documentation, please contact our Customer Service.

MEASURING POINTS



Seat height



Total height



Backrest height



Armrest height



Seat width



Total width



Backrest width



Seat depth

Measurements according to EN1335 tolerance +/- 5mm

Model			Seat height, loaded (cm)	Seat surface (cm)	Rubber sole diameter (cm)	Weight (kg)
giroflex 10	Sit-Stand Stool	10-2020	64-81	30	33	7.5
		10-3020	64-81	30	33	7.5

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Armrest height above floor (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)
giroflex 161	Visitor's Chair	161-6003	42	85	41	67	45	43	58	45				9.9
		161-6203	42	85	41	67	45	43	58	45				10.1
		161-6403	42	85	41	67	45	43	58	45				9.8
		161-6403-KNI	42	85	41	67	45	43	58	45				9.8
giroflex 313	Swivel Chair	313-4039	39-51	88-101	45		49	47	70	44	1-8	0-21	45-120	10.9
		313-4539	39-51	89-102	46		49	48	70	44	1-8	0-21	45-120	12.9
	Conference Chair	313-4018	45	94	45		49	47	70	44	0-3.7	0-13	45-120	9.7
		313-4518	45	95	46		49	48	70	44	0-3.7	0-13	45-120	10.8
giroflex 40	Swivel chair	40-4049	37.5-51.5	99.5-113.5	62	17-26	51	44.5	66	42-48	0-3	0-28	45-110	17.5

Measurements - Office Range (2)

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Armrest height above floor (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)
giroflex 353	Swivel Chair	353-4029	39-51	99-118	59-65		49	46	70	38-44		0-21	45-120	12.3
		353-4029-NPR	41-55	99-118	59-65		49	46	70	38-48	2-9	0-21	45-120	12.4
		353-4529	39-51	100-119	60-66		49	46	70	38-44		0-21	45-120	13.6
	Conference Chair	353-3018	39-51	89-101	46	63-75	47	46	70	43				9.8
		353-3518	39-51	90-102	47	63-75	47	47	70	43				10.4
	Visitor's Chair Cantilever	353-3003	44	92	46		47	46	52	43				8.4
		353-7003	44	92	46	67	47	46	64	43				9.2
		353-3503	44	93	47		47	47	52	43				8.9
		353-7503	44	93	47	67	47	47	64	43				9.7
	Visitor's Chair 4-legged	353-3004	44	93	46		47	46	53	43				6.5
		353-7004	44	93	46	67	47	46	64	43				7.3
		353-3504	44	94	47		47	47	53	43				7
		353-7504	44	94	47	67	47	47	64	43				7.8
giroflex 434	Swivel Chair	434-3019	40-52	96-108	55		50	48	68	43		0-25	45-120	15.4
		434-4019	40-52	102-114	61		50	48	68	43		0-25	45-120	15.4
	Visitor's Chair	434-7013	42	86	39	66	49	57	57	44				10.5
		434-3003	42	88	43		47	53	53	45				8.5
giroflex 64	Swivel Chair	64-3078	40-52	92-111	47-54		45	43	66	41.5-44	0-12	0-24	45-120	17
		64-3578	40-52	100-119	55-62		45	43	66	41.5-44	0-12	0-24	45-120	17.4
		64-3578-QUI	40-52	100-119	55-62		45	43	66	41.5-44	0-12	0-24	45-120	17.8
		64-4578	40-52	100-119	55-62		48.5	43	66	41.5-44	0-12	0-24	45-120	17.7
	Executive Chair	64-9278	40-52	106-125	60-67		51	47	66	45-47.5	0-12	0-24	45-120	21.8
		64-9778	40-52	117-136	60-67		51	47	66	45-47.5	0-12	0-24	45-120	22.8
		64-9878	40-52	119-148	60-67		51	47	66	45-47.5	0-12	0-24	45-120	25.6
giroflex 68	Swivel Chair	68-3509	40-52	102-121	58-65		46	42	67	40-45	0-12	0-23	45-120	16.4
		68-3519	40-52	101-120	57-64		46	44	67	41-46	0-12	0-23	45-120	16.4

Packaging measurements

Changes from 18th of September 2023:

Giroflex will implement 100% recyclable boxes. It will be the possibility to order swivel chairs in fully, or semi knocked down versions – depending on model .

This will become the standard option and has many benefits e.g. logistic flow emits less CO2, boxes take less storage and are easier to carry on.

Underneath you will see an overview of possible choices per model.

Model	Type	Configuration	Assembled in foil ¹		Assembled in box		Semi-knocked down		Fully knocked down	
			Possibility		Possibility		Possibility	Size (mm)	Possibility	Size (mm)
10-2020	Sit-stand Stools	All options	NO		YES		NO	n/a	NO	n/a
10-3020	Sit-stand Stools	All options	NO		YES		NO	n/a	NO	n/a
161-6003	Conference	All options	NO		YES		NO	n/a	NO	n/a
161-6203	Conference	All options	NO		YES		NO	n/a	NO	n/a
161-6403	Conference	All options	NO		YES		NO	n/a	NO	n/a
161-6403-KNI	Conference	All options	NO		YES		NO	n/a	NO	n/a
313-4018	Swivel/Visitor	All options	YES		YES		YES	670x730x835	NO	n/a
313-4039	Swivel	Seat height 39-51,49-65;52-69;57-74	YES		YES		YES	670x730x835	NO	n/a
313-4039	Swivel	Seat height 64-81	YES		YES		YES	670x730x835	NO	n/a
313-4518	Swivel/Visitor	All options	YES		YES		YES	670x730x835	NO	n/a
313-4539	Swivel	Seat height 39-51,49-65;52-69;57-74	YES		YES		YES	670x730x835	NO	n/a
313-4539	Swivel	Seat height 64-81	YES		YES		YES	670x730x835	NO	n/a

			Assembled in foil ¹	Assembled in box		Semi-knocked down		Fully knocked down	
353-3003	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-3003	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-3004	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-3004	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-3018	Swivel/Visitor	4arm base	YES	YES	670x730x1160	YES	670x730x835	NO	n/a
353-3018	Swivel/Visitor	5arm base	YES	YES	670x730x955	YES	670x730x835	NO	n/a
353-3018-C2G	Swivel/Visitor	All options	NO	NO	n/a	NO	n/a	YES	680x680x440
353-3503	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-3503	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-3504	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-3504	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-3518	Swivel/Visitor	4arm base	YES	YES	670x730x1160	YES	670x730x835	NO	n/a
353-3518	Swivel/Visitor	5arm base	YES	YES	670x730x955	YES	670x730x835	NO	n/a
353-4029	Swivel	No headrest & Seat height 39-51;41-55;46-62;49-65	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4029	Swivel	No headrest & Seat height 55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4029	Swivel	headrest & Seat height 39-51;41-55	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4029	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4029-NPR	Swivel	No headrest & Seat height 39-51;41-55;46-62	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4029-NPR	Swivel	No headrest & Seat height 49-65;55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4029-NPR	Swivel	headrest & Seat height 39-51;41-55	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4029-NPR	Swivel	headrest & Seat height 41-55;46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4529	Swivel	No headrest & Seat height 39-51;41-55;46-62;49-65	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4529	Swivel	No headrest & Seat height 55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4529	Swivel	headrest & Seat height 39-51;41-55;	YES	YES	735x760x1315	YES	670x730x835	NO	n/a

353-4529	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4529-LAB	Swivel	No headrest & Seat height 39-51;41-55;46-62;49-65	YES	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4529-LAB	Swivel	No headrest & Seat height 55-72;62-79	YES	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4529-LAB	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-7003	Conference	1pcs in Box	NO	YES	YES	670x730x955	NO	n/a	NO	n/a
353-7003	Conference	2pcs in Box	NO	YES	YES	670x730x1160	NO	n/a	NO	n/a
353-7004	Conference	1pcs in Box	NO	YES	YES	670x730x955	NO	n/a	NO	n/a
353-7004	Conference	2pcs in Box	NO	YES	YES	670x730x1160	NO	n/a	NO	n/a
353-7503	Conference	1pcs in Box	NO	YES	YES	670x730x955	NO	n/a	NO	n/a
353-7503	Conference	2pcs in Box	NO	YES	YES	670x730x1160	NO	n/a	NO	n/a
353-7504	Conference	1pcs in Box	NO	YES	YES	670x730x955	NO	n/a	NO	n/a
353-7504	Conference	2pcs in Box	NO	YES	YES	670x730x1160	NO	n/a	NO	n/a
40-4049	Swivel	Without headrest	YES	YES	YES	735x760x1115	YES	670x730x955	NO	n/a
40-4049	Swivel	With headrest	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
434-3003	Conference	All options	NO	YES	YES	670x730x1160	NO	n/a	NO	n/a
434-3019	Swivel	Seat height 40-52;43-59;46-62; 52-69	YES	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
434-3019	Swivel	Seat height;59-76; 66-83	YES	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
434-3019-C2G	Swivel	All options	NO	NO	NO	n/a	NO	n/a	YES	680x680x440
434-4019	Swivel	Seat height 40-52;43-59;46-62	YES	YES	YES	735x760x1115	NO	n/a	YES	815x720x515
434-4019	Swivel	Seat height 55-72;62-79	YES	YES	YES	735x760x1315	NO	n/a	YES	815x720x515
434-7013	Conference	All options	NO	YES	YES	670x730x955	NO	n/a	NO	n/a
434-7929	Swivel	All options	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
545-4529	Swivel	No headrest & Seat height 40-52;41-55;46-62;49-65	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
545-4529	Swivel	No headrest & Seat height 55-72; 59-76; 62-79	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
545-4529	Swivel	headrest & Seat height 40-52;41-55;-46-62;55-72;49-65	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a

545-4529	Swivel	headrest & Seat height 59-76; 62-79	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x1160	NO	n/a
60-9229-24H	Swivel	Seat height 40-52, 43-59	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
60-9229-24H	Swivel	Seat height 46-62; 52-69; 59-76	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
60-9229-24H	Swivel	Seat height 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
60-9829-24H	Swivel	Headrest & Seat height 40-52, 43-59; 46-62	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x955	NO	n/a
60-9829-24H	Swivel	Headrest & Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x955	NO	n/a
64-3078	Swivel	Seat height 40-52, 43-59; 46-62; 52-69	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3078	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3078-LAB	Swivel	Seat height 40-52, 43-59; 46-62; 52-69	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3078-LAB	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3080	Swivel	Seat height 39-51, 40-52; 43-59; 46-59; 47-65; 52-69	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3080	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578	Swivel	Seat height 40-52, 43-59; 46-62	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578-LAB	Swivel	Seat height 40-52, 43-59; 46-62	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578-LAB	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578-QUI	Swivel	Seat height 40-52, 43-59; 46-62	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578-QUI	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-4080	Swivel	Seat height 39-51, 40-52; 43-59; 46-59; 47-65; 52-69	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-4080	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-4578	Swivel	Seat height 40-52, 43-59; 46-62	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-4578	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a

64-9278	Swivel	Seat height 40-52,43-59	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-9278	Swivel	Seat height 46-62;52-69; 59-76	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-9278	Swivel	Seat height 66-83	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-9278-24H	Swivel	Seat height 40-52,43-59	YES	YES	YES	735x760x1115	YES	670x730x1160	NO	n/a
64-9278-24H	Swivel	Seat height 46-62;52-69; 59-76	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9278-24H	Swivel	Seat height 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
64-9778	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9778	Swivel	Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
64-9878	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9878	Swivel	Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
64-9878-24H	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9878-24H	Swivel	Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
68-3509	Swivel	No headrest & Seat height 40-52,41-55;46-62	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
68-3509	Swivel	No headrest & Seat height 54-70; 59-76; 66-83	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
68-3509	Swivel	headrest & Seat height 40-52,41-55;46-62;54-70	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
68-3509	Swivel	headrest & Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
68-3519	Swivel	No headrest & Seat height 40-52,43-59;46-62	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
68-3519	Swivel	No headrest & Seat height 52-69; 59-76; 66-83	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
68-3519	Swivel	Headrest & Seat height 40-52,41-55;46-62;54-70	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
68-3519	Swivel	Headrest & Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a

1 Option "Assembled in foil" only available in Switzerland, Germany, France and Benelux

Standard fabrics

Delivery times for standard and extended colour range:

This is the Giroflex standard selection of textiles and colours. All fabrics and leather in our Standard collection are of excellent quality and come from renowned suppliers we choose to collaborate with.
Normal delivery time for Giroflex' Standard fabric collection is 15 days from factory.
The guarantee requires that routine cleaning is performed on the chair and textile/leather.

Maintenance:

To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

Other colours than listed here are in our Extended colour collection and might fall into a different price group. Please note that colours shown in these illustrations may vary from the actual colours. Please contact your local Giroflex supplier to view a sample.

NOTE! Some fabrics in our Collections may not be approved for all Giroflex chairs, please contact our Customer Service for more information.

CURA LOOP (GABRIEL) - PRICE GROUP 1

Cura Loop is a two-coloured fabric made from 100% recycled polyester textile waste. It has a matt, slightly irregular and natural-looking texture where the dark, underlying grey fibers create a discreet yet vibrant melange effect. It´s high durability, stretchability and soft, voluminous touch makes Cura Loop versatile in use for most type of furniture and environments.

- Composition:** 100% post-consumer/post -industrial recycled polyester
- Weight:** 420 g/lm
- Abrasion resistance:** 100 000 Martindale (EN ISO 12947-2)
- Flammability:** BS EN 1021: 1-2, 5852 Crib 5 (on request)*, CA TB 117-2013, DIN EN 13501-1 B-s1,d0, Class Uno UNI9175 Class 1 I EMME, ASTM E 84 Class I (Unadhered)
- Light fastness:** 6-8 (EN ISO 105 - B02)
- Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
- Pilling:** 4-5 (EN ISO 12945-2)
- Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, Contains no flame retardant chemicals, ISO 14001 certified company
- Design:** Cenk Kivrikoglu
- Produced in:** Lithuania
- Cleaning:** Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines - www.gabriel.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



XTREME (CAMIRA) - PRICE GROUP 1

Xtreme is a crepe fabric made from 100% post-consumer recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

Composition: 100% post-consumer recycled polyester

Weight: 310 g/m²

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 IM, NF D 60-013

Light fastness: 6 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)


Pilling: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable to 60°C and bleach cleanable (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)



RUNNER - PRICE GROUP 2

Runner is a robust yet soft mesh quality with an airy and comfortable feel. With its self-supporting properties and stability it offers a high level of comfort in use. It is made of a mix of polyester and post-consumer recycled polyester. The three-dimensional structure combine an irregular surface pattern in a semi-transparent texture on a dense bottom layer. The palette of monochrome colours in clear but soft hues add a refined and sporty look to the furniture.

Composition: 80% polyester, 20% post-consumer recycled polyester

Weight: 510 g/m

Abrasion resistance: 70000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, Class Uno 9175 Class 2 I EMME,

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals and harmful chemicals, ISO 14001 certified company

Design: Inger Mosholt Nielsen, Cenk Kivrikoglu

Produced in: Lithuania


Cleaning: Wash or dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)



SELECT (GABRIEL) - PRICE GROUP 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.


- Composition:** 85% New Zealand wool, 15% polyamide
- Weight:** 510 g/lm
- Abrasion resistance:** 200 000 Martindale (EN ISO 12947-2)
- Flammability:** BS EN 1021: 1-2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013, IMO MSC 307(88) Annex 1 part 8/MED registration IMO
- Light fastness:** 5-8 (EN ISO 105 - B02)
- Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
- Pilling:** 4 (EN ISO 12945-2)
- Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
- Design:** Cenk Kivrikoglu
- Produced in:** Lithuania
- Cleaning:** Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)



SKAI PALMA - PRICE GROUP 2

Skai Palma is a synthetic leather made of PVC. The surface is embossed with a leather grain structure with a smooth touch. It is easy cleanable on a regular basis.

- Composition:** 89% PVC-Compound, 11% CO/PES-knitted fabric
- Weight:** 825 +/- 50 g/m2
- Thickness:** 1,3 +/- 0,2mm
- Abrasion resistance:** 100 000 Martindale (EN ISO 5470-2)
- Flammability:** DIN 4102 (part 1, B2), NF M2, BS5852 IS-0&1, EN 1021-1+2, MVSS302, FAR 25.853, ÖNORM B3825, ÖNORM A 3800-1 Q1, UNI 9175/87 (1.IM)
- Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
- Pilling:** 4-5 (EN ISO 12945-2)
- Environmental facts:** Fulfills REACH requirements, ISO 14001 certified company
- Produced in:** Germany
- Cleaning & disinfection:** For Cleaning and disinfection follow Skai's cleaning guidelines www.skai.com)



CAPTURE (GABRIEL) - PRICE GROUP 3

Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strenght. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.

Composition: 85% New Zealand wool, 15% polyamide

Abrasion resistance: 200.000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5 (on request)*, BS 5852 Part 1 0,1 (Cigarette & match), CA TB 117-2013, Class Uno UNI 9175 Class 1 IM

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN-ISO 12945-2)


Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Cenk Kivrikoglu


Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)


*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



CPT4102




CPT4301




CPT4401




CPT4601




CPT5101




CPT5103




CPT5501



CPT6001



CPT6401



CPT6601

GAJA CLASSIC (GABRIEL) - PRICE GROUP 3

A classic cr pe structured fabric in pure new wool. Finishing treatment gives a soft surface. It has a wide colour range in both subdued and strong colours.

Composition: 100% pure new wool

Weight: 530 g/lm

Abrasion resistance: 50 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, Calif. Bull. 117-2013, IMO A.652 (16), UNI 9175 Class 1 IM, BS 476 Part 7 Class 1 I

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals, Oeko-Tex® Standard 100, ISO 14001 certified company


Design: Dorte Bo Bojesen

Produced in: Lithuania


Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)




GA60019




GA60999



GA64089



GA66004



GA66005



GA60003

GRANO (JAB/CLIMATEX) - PRICE GROUP 3

Grano is a durable tightly woven fabric in a specially designed mix of natural and synthetic fibers, specially constructed to be recycled easily. It has a two-toned pattern with a textured feel.

Composition: 69 % Cradura™, PA, 18 % Certified Virgin Wool (WV), 13 % Redesigned Lenzing FR™, CV FR

Weight: 465 g/lfm

Abrasion resistance: 465'000 Martindale, EN ISO 12947-2

Flammability: EN 1021-1/2, BS 5852-0/1, IMO Resolution MSC 307 (88) Annex 1, Part 8, California TB 117, Class 1, NFPA 260

Light fastness: 6, EN ISO 105-B02


Rubbing fastness: 4/4-5 (Wet/Dry) (EN ISO 105-X12)

Pilling: 5 (EN ISO 12945-2)

Environmental facts: Oeko-Tex® Standard 100, 100% Free of heavy metals, Cradle to Cradle Certified™ Silver, recyclable.

Designed by: Climatex Design team

Produced in: Germany



GRO099



GRO094



GRO051

MAINLINE FLAX (CAMIRA) - PRICE GROUP 3

Main Line Flax is made from a 75/25 wool flax blend, then fibre dyed to create a mixture coloured yarn. The yarns are woven into solids and cross-colours giving a tweed like look and a delicate touch. The combination of wool and flax also creates an inherently flame retardant fabric all based on natural sources.

Composition: 75% Virgin Wool, 25% Flax

Abrasion resistance: > 50 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Crib 5, CA TB 117-2013, IMO FTP Code (Part 8), UNI 9175 Classe 1 IM

Light fastness: 5 (EN ISO 105-B02)

Rubbing fastness: 3/4 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Indoor Advantage™ "Gold", Free of heavy metals, ISO 14001 certified company, Rapidly renewable and compostable

Design: Camira Design Studio

Produced in: United Kingdom


Cleaning: Professional dry cleaning (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)



MLF032



MLF002



MLF020

OCEANIC (CAMIRA) - PRICE GROUP 3

Oceanic is made from 100 % post-consumer recycled polyester yarn where 90% are created from post-consumer plastic bottles diverted from landfill and 10% is upcycled marine plastic(from marine litter). It is a fabric born out of the SEAQUAL Initiative designed to combat marine plastic pollution and achieve a waste free environment. Oceanic has a two coloured diagonal structure with a matte surface and soft touch.

Composition: 100 % post-consumer recycled polyester, including 50% SEAQUAL yarn

Weight: 497 g/m² ±5%

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low, BS 7176 Medium Hazard with EnviroFlam5, CA TB 117-2013

Light fastness: 5 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable at 60 °C and bleach cleanable (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)



PARCEL LOOP (GABRIEL) - PRICE GROUP 3

Parcel Loop is made from 100% post-consumer/post-industrial recycled polyester, combining recycled textile waste from customers and from used plastic bottles. It has a matt, multi- directional texture in a subtle colour-shifting colour mix. Its softness combined with high durability makes it suitable for all types of furniture in the works space.

Composition: 100% post-consumer/post -industrial recycled polyester

Weight: 480 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 Crib 5 (on request)* CA TB 117-2013, ASTM E 84 Class I (Unadhered)

Light fastness: 6-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN ISO 12945-2)


Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no flame retardant chemicals, ISO 14001 certified company

Design and colours: Cenk Kivrikoglu/ Luisa Allegri

Produced in: Lithuania

Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



STEP (GABRIEL) - PRICE GROUP 3

Step is unique in both texture and performance. With its delicate surface, Step is perceived as vivid and interesting. The texture with the fire-resistant Trevira CS yarn ensures that the fabric is suited for use in environments with high fire safety and durability requirements.

Composition: 100% Trevira CS

Weight: 336 g/m²

Composition: 100% Trevira cs

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Certificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM

Light fastness: 5-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Inger Mosholt Nielsen

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)




SE64159




SE60999



SE60011



SE64013



SE67004

STEP MELANGE (GABRIEL) - PRICE GROUP 3

Step Melange is woven in Trevira CS, an extremely hard-wearing fire-resistant material. With its simple, discreet and heathered structure, Step Melange can be combined in numerous ways, not least with its unicoloured partner Step.

Composition: 100% Trevira cs

Weight: 336 g/m²

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Certificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM B3825, ÖNORM 3800-1q1

Light fastness: 5-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company


Design: Cenk Kivrikoglu

Produced in: Lithuania


Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)



STM67004



STM64159



STM66018



STM60011

SYNERGY (CAMIRA) - PRICE GROUP 3

Synergy is a lightly felted wool fabric with a soft-handle. The range feature fibre dyed shades and piece dyed solids.

Composition: 95% pure new wool, 5% polyamide

Weight: 400 g/m² ±10%

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 7176 Low Hazard, NFD 60-013, UNI 9175 Classe 1 IM, IMO FTP Code (Part 8), EN 13501-1 Adhered Class D, s1, d0

Light fastness: 5 (EN ISO 105 - B02)


Rubbing fastness: Wet: 4, Dry: 4 (EN ISO 105 - X12)

Environmental facts: EU Ecolabel, Indoor Advantage Gold, ISO 14001 certified company


Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Professional dry cleaning (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)



SGY016



SGY017



SGY008

TECHNICOLOUR (KVADRAT) - PRICE GROUP 3

Technicolour is a worsted wool fabric made from 100% british wool. It is created by using a specially developed colour system which unfolds different ranges of melange colours. Each colourway unites two yarns in a plain weave construction, expressing a sense of subtle variation. Its colourmoods in combination with softness and strength gives it versatility in use across all types of work spaces.

Composition: 100% british wool, worsted

Weight: 430 g/lm

Abrasion resistance: 80 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, BA5852 Crib 5 (on request)*, CA TB 117-2013, BS 5852 part 1, BS 7176 Low Hazard, NF D 60013, UNI 9175 1IM, ASTM E84 Class A Unadhered/Adhered, IMO FTP Code 2010 Part 8,

Light fastness: 7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)


Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

Design: Peter Saville

Produced in: United Kingdom

Cleaning: Professional dry cleaning (For further info follow Kvadrat's cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



TEH0690



TEH0110



TEH0890



TEH0520




TEH0260

STEELCUT 3 (KVADRAT) - PRICE GROUP 4

Steelcut 3 is a unicoloured strong worsted wool and polyamide woven fabric, combining durability, soft touch and colour depth. The construction create a three-dimensional surface resembling small pyramids or steel points. Despite its complex weaving technique, it has a simple and precise expression.

- Composition:** 90% worsted New Zealand wool, 10% polyamide
- Weight:** 825 g/lm
- Abrasion resistance:** 100 000 Martindale (EN ISO 12947-2)
- Flammability:** BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (on request)*, BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, ASTM E84 Class A Unadhered, ASTM 84 Class B Adhered
- Light fastness:** 6 (EN ISO 105-B02)
- Rubbing fastness:** 3-5/4-5 (Wet/Dry) (EN ISO 105X12)
- Pilling:** 3-4 (EN ISO 12945-2)
- Environmental facts:** EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold
- Design:** Frans Dijkmeijer, Giulio Ridolfo (updated colourways)
- Produced in:** United Kingdom
- Cleaning:** Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat´s cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.




STT682 STT190

STEELCUT TRIO 3 (KVADRAT) - PRICE GROUP 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. Like Steelcut 3, despite the complexity of the textile's innovative weave, it has a simple, precise expression.

- Composition:** 90% worsted New Zealand wool, 10% polyamide
- Weight:** 770 g/lm
- Abrasion resistance:** 100 000 Martindale (EN ISO 12947-2)
- Flammability:** BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (on request)*, BS 5852 part 1, BS 5852 ignition source 3, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, GB 50222 B1 with treatment (Chinese)
- Light fastness:** 6-7 (EN ISO 105-B02)
- Rubbing fastness:** 3-5/4-5 (Wet/Dry) (EN ISO 105X12)
- Pilling:** 4 (EN ISO 12945-2)
- Environmental facts:** EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold
- Design:** Frans Dijkmeijer, Giulio Ridolfo (updated colourways)
- Produced in:** United Kingdom
- Cleaning:** Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat´s cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



STT966 STT133 STT153 STT213 STT253 STT383 STT645 STT796

PALOMA (WOLLSDORF) - PRICE GROUP 6

Paloma is a high quality chrome free Semi-Aniline leather from cattle in the European Alpine region. All our standard colours from Paloma have a special finish adding a particular softness to the leather. It has excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO A.652 (16)

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 -Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion: 2.0 N/cm ISO 11644

Tear-strength: 20 N/mm DIN 53329- A

Environmental facts: Tanned without using chromium salts, BlueAngel, ECO2L-certificate, ISO 14001 certified company, Internal waste water treatment plant.


Produced in: Austria, predominantly using raw hides from red-spotted cattle

Animal Welfare All hides are by-products from the meat and dairy industries, only use hides from healthy and uninjured animal. Following European standards as a minimum and the "Five Freedoms" of livestock as defined by FAWC (Farm Animal Welfare Council)

Cleaning: Follow the leather care guide from our supplier – www.wollsdorfleather.com




PL55130



PL56100



PL55115



PL55185



PL05429



PL55206

ELMOSOFT (ELMO) - PRICE GROUP 7

Elmosoft is a chrome free supreme quality semi-aniline grain leather from Scandinavian cattle. It is soft and pliable with an outstanding comfort and durability. Visible insect-bites and scars from healed wounds add to the authentic quality and character of the leather.

Thickness: 1.1 - 1.3 mm

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8 (IMO652), UNI 9175, Önorm B 3825, UNI 9175

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion: ≥ 2 N/cm - ISO 11644

Tear-strength: ≥ 20 N/cm DIN 53329-A

Environmental facts: Free of heavy metals, tanned without using chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment Plant and 100% CO₂ neutral on energy.


Animal Welfare: All hides are by-products from the meat and dairy industries with traceability back to the farm, Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal welfare freedoms)

Produced in: Sweden

Cleaning: (Follow the guidelines by our supplier – www.elmoleather.com)



EL99999



EL93068



EL33004

Product specific fabrics

This is Giroflex selection of special textiles for certain products.

Maintenance: To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

NOTE! Colours on screen or in print might differ from reality. Other colours than listed here are in our Extended colour collection and might fall into a different price group.

STRONG (JAB/CLIMATEX) - PRICE GROUP 3

Strong is a durable 24/7 fabric specially designed with Climatex® Dualcycle™. It's unique weave construction and fiber mix make it climate-regulating, moisture absorbent and flame retardant. This enables good abrasion resistance for long-term use in the most demanding environments. It's honeycomb patterned texture creates depth and a smooth touch.

Composition: 72% Cradura™ (PA), 16% Certified virgin wool (WV), 12% redesigned Lenzing FR™(CVFR)

Weight: 415 g/lm

Abrasion resistance: 500 000 Martindale (EN ISO 12947-2)

Flammability: EN 1021-1/2, BS 5852-0/1, CA TB 117-2013, IMO FTP Code 2010 Part 8

Light fastness: 6-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Perspiration fastness: 5/5 (alkaline/acid) (EN ISO 105-E04)

Environmental facts: Cradle to Cradle Certified™ gold, Oeko-Tex® Standard 100, recyclable

Design: Climatex Design team

Produced in: Germany

For giroflex 60 and giroflex 64- 24h chairs



STO099

SYNERGY QUILT HOURGLASS (CAMIRA) - PRICE GROUP OD*

Synergy Quilt is a wide width, quilted version of our soft-handle wool blend fabric, Synergy. Foam backing and wadding form the density of the quilt, with lighter shades being stitched in white thread and darker shades stitched in black thread, to create Channel, Chevron or Hourglass patterns.

Composition: 95% pure new wool, 5% nylon with polyester and polyurethane foam backing

Weight: 700 g/m2 ±10%

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: CA TB 117-2013, NFPA 260 + UFAC Class 1, BS 7176 Low Hazard, ASTM E84 Class 2 or B (Adhered), ASTM E84 Class 2 or B (un-adhered)

Light fastness: 5 (EN ISO 105 - B02)

Rubbing fastness: Wet: 4, Dry: 4 (EN ISO 105 - X12)


Environmental facts: Non metallic dyestuffs, ISO 14001 certified company

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable to 60 °C and bleach cleanable (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)

Only for giroflex 64-3578-QUI (Available on Demand as long as stock lasts)




QSH17




QSH35



QSH62



QSH69



QSH84

SOFTTOUCH

Softtouch is a self-supportive semi-translucent mesh fabric with a comfortable feel.

Composition: 76% polyester, 23% poyamide, 1% stainless steel

Abrasion resistance: 40 000 Martindale (EN ISO 12947-2)

Flammability: EN 1021 1

Light fastness: 5-7 (EN ISO 105 - B02)


Rubbing fastness: 5/4 (Wet/Dry) (EN ISO 105X12)

Environmmnetal facts: ISO 14001 certified company

Designed by: Krall & Roth design team

Produced in: Germany

Mesh fabric – only for backrest giroflex 68



N460

KNIT MESH (CAMIRA)

Knit161 is a self-supporting mesh, uniquely designed to conform to the backrest of the giroflex 161 visitor chair. The knit has a soft touch with a comfortable airy feel which offers comfort and support to the user. It's solid open structure has a repetitive organically shaped pattern with a visual depth in its texture.

Composition: 100% polyester

Abrasion resistance: 28 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021 1&2 (Cigarette & Match), BS7176: 2007 low hazard

Light fastness: 6 (EN ISO 105 - B02)

Pilling: 4-5 (BS EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Free of heavy metals


Design: Camira Technical Knitting team & Flokk Design team

Produced in: United Kingdom


Cleaning & disinfection: Bleach cleanable (For further info follow Camira ´s cleaning guidelines – (www.camirafabrics.com))

KNI100, KNI101, KNI102, KNI104 available as long as stock lasts


Mesh only for giroflex 161-6403 and giroflex 161-6403-KNI




KNI099




KNI100



KNI101



KNI102



KNI104

NET – TRICOT

Net - Tricot is a shapeknitted self-supporting polyester fabric specially designed for the giroflex 434 mesh back models.

Composition: 100% polyester flame retardant (Trevira CS)

Abrasion resistance: 40 000 Martindale (EN ISO 12947-2)

Flammability: DIN 4102 B1, EN 1021 1&2, NF P 92501-7/M

Light fastness: 4-5 (EN ISO 105 - B02)


Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)

N471, N472, N474 available as long as stock lasts

Mesh only for giroflex 434




N470




N471




N472




N474



N475



N476



N477

* OD – Price on demand

Extended Fabric & Colour Collection

In addition to our Standard Fabric & Colour Collection we also offer an expanded selection of textiles in different colours from different textile suppliers who we work with.

NOTE! Some fabrics in our Collections may not be approved for all Giroflex chairs, please contact our Customer Service for more information.

COM (Customer's Own Material)

Delivery time is more than 20 working days from factory and confirmation of order, transport in addition. Extra time for testing and approval of fabrics may also occur. Price group 3.

Special

Other fabrics. Prices and delivery on request.

Supplier/Collection	Price group
Camira Fabrics – www.camirafabrics.com	
Blazer	3
Mainline Flax*	3
Oceanic*	3
Quest	3
RePlay	3
Synergy*	3
Xtreme*	3
Climatex/Jab – www.climatex.jab.de	
Grano*	3
Strong* ²⁾	3
Elmo – www.elmoleather.com	
Elmosoft* ¹⁾	OR
Gabriel – www.gabriel.dk	
Capture*	3
Cura Loop*	3
Cura	3
Comfort+	5
Focus	3
Focus Melange	3
Focus Royal	3
Gaja Classic*	3
Lense	3
Nobel	4
Parcel Loop*	3
Renewed Loop	3
Runner*	2
Select*	2
Step (Trevira CS)*	3
Step Melange (Trevira CS)*	3
Tonal	3

Supplier/Collection	Price group
Kvadrat – www.kvadrat.dk	
Canvas 2	4
Naveli	4
Remix 3	3
Steelcut 3*	4
Steelcut Quartet	4
Steelcut Trio 3*	4
Technicolour*	3
Vidar 4	6
Ludvig Svensson – www.ludvigsvensson.com	
Semi	3
Skai – www.skai.com	
Skai Palma*	3
Wollsdorf – www.wollsdorf.com	
Paloma - Leather*	OR

* Non standard colours

OR = on request

¹⁾ = Not for LAB/24H/cashier

²⁾ = Only for giroflex 60 and 64 -24h chairs



Flokk is a family of design-led brands shaping workspaces where people and organisations thrive.

From our roots in Scandinavian task seating design, we've grown into a global leader in workspace solutions – creating furniture that supports people wherever and however they work.

The name Flokk comes from the Norwegian word for “group” or “herd”. It reflects our belief that workspaces should bring people together – to focus, collaborate and connect.

We believe great design can do more than look good. It can enhance well-being, enable productivity, and help reduce environmental impact. We work closely with architects, designers, and businesses to shape workspaces where people feel supported, valued, and able to do their best.

Our collection of brands brings this purpose to life – delivering thoughtful, durable solutions for every kind of workspace and every kind of person.

Our growing family includes renowned names such as HÅG, Offecct, Giroflex, RH, Profim, Stylex, 9to5 Seating, Via Seating, Connection, and Malmstolen – each with its own identity, yet united by a shared commitment to design quality.

Headquartered in Oslo, Norway, we have production sites across Europe, North America, and Asia, including Røros (Norway), Nässjö (Sweden), Turek (Poland), Mirfield (UK), Zhongshan (China), Hawthorne (USA), Delanco (USA) and Reno (USA). Our global reach is supported by sales offices in over 15 countries, serving customers in more than 80 markets.

With around 2,000 dedicated employees, we work together to bring better spaces to life and to fulfil our vision; to **inspire great work**

Flokk A/S
Sorgenfrivej 18
DK - 2800 Kongens Lyngby

Phone: +45 99 50 55 00
E-mail: info-dk@flokk.com
www.flokk.com

Front page
Chair model: Giroflex 313
Fabric: Back // Light beige Runner RUN61128. Seat// Leather Natura (ICA)
Light beige (LE123)