

**giroflex**

A brand by Flokk




ARBETSSTOLAR






# Price List






All prices: SEK      ADDA







# Content






giroflex 10 Sit-Stand Stool   




giroflex 313 Swivel Chair     

giroflex 40 Swivel Chair     

giroflex 353 Swivel Chair     

giroflex 353 NPR Swivel Chair     

giroflex 64 Swivel Chair     

giroflex 64 QUILT Swivel Chair - Special Collection     

Standard fabrics

Product specific fabrics

Extended Fabric & Colour Collection

# General Sales and delivery terms

## Generally

This document applies for contracted distributors of Giroflex.

## Standard Dispatch time from Factory Working days

Standard Fabric & Colour Collection	15
Extended Fabric & Colour Collection	>25*
Quick-ship	5-10
On request	on request
After order entry / transportation days must be added	

\*Provided availability at suppliers stock

Longer delivery times may occur periodically, during holidays and for large orders.

## Prices

All prices are recommended retail prices in SEK excl. VAT. Prices are valid from 2026-01-01. Quotations are valid for 30 days unless otherwise agreed. Any typographical errors shall not be binding for Flokk and will be subject to correction without liability to the vendor.

## CHANGE/CANCELLATION OF ORDERS

Change/cancellation of orders on chairs or upholstery are possible up until production have begun. Each amended or cancelled order will incur a 500 SEK charge per order. Please contact your local Customer Service for more information.

Once production has started orders cannot be changed

## CONDITIONS OF DELIVERY

Ex Works (Incoterms 2020) including packaging. All products must be inspected upon receipt/arrival.

Visible transport damage and discrepancies in the number of items received must always be noted on the bill of carriage at the time of receipt and reported to the carrier and Customer Service, Flokk AS within 7 calendar days after receipt of the goods. Invisible damage (means no damaged packaging) must be reported in writing to Customer Service, Flokk AB within 7 calendar days after receipt. If there are any problems with registration of the claim, please write to Customer Service Flokk immediate when the problems occur. Documentation must follow the e-mail.

For transport damage you need to take photos and document the damage, before reporting in writing to Customer Service, Flokk. Please document:

- Picture of Flokk product label (including order no.)
- Pictures of damaged goods
- Pictures of damaged packaging
- Copy of transport document (if provided)
- Short description of claim

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations and follow your local regulations.

## Model and/or price modification

Models or prices subject to alterations, may change without prior notice.

## Terms of payment

Subject to local sales agreement. Interest charged for non-payment according to current terms. All goods remain the property of Flokk AB until payment is made in full.

## Irregularities

Apparent transport damage and irregularity in total number must be notified immediately in writing to the delivering carrier, by putting a reserve on the delivery note presented.

In case of damage not visible from the outside, such reserve must be effected to the last carrier within not more than 3 working days from delivery, whereby Giroflex is also to be notified.

## WARRANTY

We offer a 5-year (3-years for 24/7 chairs) warranty on construction, material and workmanship of our products, subject to appropriate handling and normal wear and tear. The warranty for covering materials, pneumatic parts, castors and glides is limited to 2 years in any case. The information indicated on the label under the chair is determining for the guarantee period.

The warranty excludes "On request" fabrics, impact damage and torn upholstery materials caused by careless handling, or normal wear and tear to covering materials, castors and glides.

No warranty is provided with regard to the identical colouring of materials and leather in the case of repeat orders, nor for CleanGuard treatments or damage in consequence of self-repairs.

## Leather

Leather is a natural product. Grain, cracks and wrinkles are authentic proof of this material. These typical characteristics will not be accepted as grounds for complaint.

## Wood

Wood is also a natural product. Natural features of wood will not be accepted as grounds for complaint.

## CERTIFICATIONS & APPROVALS

Flokk is ISO 9001 accredited. Giroflex chairs are tested in accordance with EN 1335. The German test institute TÜV and Intertek has approved and issued the GS certificate (Geprüfte Sicherheit) for many Giroflex chairs.

The following products are certified with the label GREENGUARD Gold

- giroflex 40
- giroflex 313
- giroflex 64

Please contact our Sales Support for further information.

Giroflex have the following EPD-certified product families, and will continue to expand our certification:

- giroflex 40
- giroflex 64
- giroflex 313
- giroflex 353 swivel
- giroflex 353 conference

Giroflex is continuously working with quality and sustainability certifications for our products.

Please advice our sustainability pages and product pages on Flokk.com for the latest updates about certifications.

## DISCLAIMER

Flokk disclaims any responsibility for products that are configured or assembled in a different way than Flokk's official configurations.

That is, as a result of component purchases, special orders or the like.

## ON REQUEST

Inquire about material usability and pattern repeats.  
Procurement/Costs see "General information"

## MAINTENANCE GUIDE

### Care of fabric upholstery

Regular vacuum cleaning is recommended. Vacuum clean the chair with a furniture brush or wipe it with a clean white cloth or sponge slightly dampened with lukewarm, clean water. Marks and stains should be removed with a proprietary cleaner.

### Care of leather upholstery

Wipe with a slightly damp cloth and gently rub dry. A good proprietary hide food should be applied at least once a year and more often if the leather is in a dry atmosphere or close to a heat-source.

Do not remove any plastic parts or attempt to open the seating mechanism.

For additional maintenance advice please contact our customer service team or our web site [flokk.com](http://flokk.com).

### Care of gas stem

Gas stems should be periodically wiped clean with a cloth and general purpose solvent, then a fingertip of light grease applied.

## PACKAGING MATERIAL - RECYCLING

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations - and follow your local regulations.

If you have questions on how to handle waste packaging material, please inform your contact person within Flokk.

## END OF LIFE - RECYCLING

We perform mono-material separation of all chairs that are no longer usable and pass the individual materials along for processing and recycling. We encourage you to ensure proper recycling of your chair and its various components.

If you have questions on how to dispose or return your chair after use, please contact our Customer Service.

## CUSTOMER SERVICE

Phone: +47 72 40 72 40

E-mail: [info@flokk.com](mailto:info@flokk.com)

# General information

## EXTRA COSTS FOR SPECIAL SERVICES

(net. no rebate deductible)

Special metal colours and combinations		€
Special metal colours		o. r.
Combination choice outside given price-list standard	Order fee	30
	Surcharge per chair	5

Delivered cover materials (outside Giroflex collections)		€
On request fabric (delivered by customer) (PG 1)	Order fee fabric	55
	Order fee leather	65
Upholstery test of unknown cover materials	Unique fee	210

Procurement to DDP supplier (address on request)

## GIROFLEX QUICK-SHIP DELIVERY PROGRAM

The following selected chair models and configurations are available in the Quick-ship delivery program.

Delivery time 5-10 working days. (after order entry / transportation days must be added)

Model		Armrests					Base		Fabric and colour		
	order number	without	fixed	2D plastic, Softpad	4D, plastic, Softpad	4D, aluminium, Softpad	Plastic	Aluminium	Xtreme black EXR009	Gaja black GA60999	Select black SC60999
giroflex 353	353-4029*	x		x	x		x		x	x	x
giroflex 64	64-3078	x				x		x	x	x	x
giroflex 64	64-3578	x				x		x	x	x	x

\*Mesh back Runner black - RUN60999

Choice: castors for carpet or hard floors

**Please note:** to be able to provide this service to all customers, there is a limit of 10 chairs per customer per day.

For orders over 10 chairs, please contact our Customer Service. Subject to holiday seasons and high production volume.

# giroflex 10 Sit-Stand Stool

## Standard configuration

Inclination angle 14°

Seat height adjustment 64 - 81 cm



Seat upholstered or integral foam

Column tube black

Foot disc aluminium powder coated in 810 black, 812 pearl-metallic or 813 alu-metallic

Rubber sole for hard and soft floors

Designed by Zemp + Partner Design, update by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	Price
10-2020	giroflex 10-2020 sit-stand stool Seat upholstered		4 348	4 388	4 561	4 695	
10-3020	giroflex 10-3020 sit-stand stool Seat integral foam black						4 388
<b>Accessories/Options/Surcharges:</b>							
	Cone upholstered		2 147	2 168	2 255	2 363	
CL6003	CleanGuard seat (Only for: 10-2020 )						260





option "Cone upholstered"

# giroflex 313 Swivel Chair

## Standard configuration

Synchronised mechanism Balance Move with fully automatic weight adjustment  
 Seat cushion with dual-zone seat profile  
 Backrest mesh Runner or upholstered  
 Seat height adjustment 39 - 51 cm  
 Seat shell, back frame, back upholstery plate in plastic 810 black  
 Back and seat support in aluminium 810 black, 812 pearl-metallic, 813 alu-metallic  
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic  
 Castors black Ø 65mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 Type B // GREENGUARD Gold Certification, EPD ISO 14025  
 German Design Award Winner 2017, Red Dot Award Winner 2017 / Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
313-4039	giroflex 313-4039 swivel chair Backrest mesh Runner		7 384	7 455	7 756	8 258	8 748	9 430	11 034	
313-4539	giroflex 313-4539 swivel chair Backrest upholstered		7 905	7 976	8 297	8 798	9 331	9 942	11 627	
<b>Accessories/Options/Surcharges:</b>										
AR6005	Armrest fixed , plastic black 810									1 087
AR6013	Armrest fixed, aluminium, powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), softpad black									2 479
AR6019	Armrest fixed, aluminium polished, softpad black									3 258
FC6019	Seat and back frame aluminium polished									1 247
LI6045	Special seat height 49-65 cm									464
LI6050	Special seat height 52-69 cm									1 057
LI6070	Special seat height 57-74 cm									1 069
LI6090	Special seat height 64-81 cm									1 318
FR6001	Footring chromium plated, centre piece black, Ø 50 cm									1 426
FB6019	5-arm aluminium base polished									427
CL6003	CleanGuard seat (Only for: 313-4039)									260
CL6004	CleanGuard back/seat (Only for: 313-4539)									402

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above


# giroflex 40 Swivel Chair

## Standard configuration

Synchronised mechanism  
 Seat cushion with dual-zone seat profile  
 Backrest mesh Runner  
 Seat height adjustment 37-51 cm  
 Seat- and backrest-support aluminium powder coated in 810 black  
 Seat depth adjustment 6 cm  
 Seat inclination angle 0°/-3°  
 Lumbar support, height adjustable  
 5-arm plastic base in 810 black  
 Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 // GREENGUARD Gold Certification, EPD ISO 14025, Blue Angel  
 Designed by Ito Design

**Please note: Armrests cannot be added ore removed in a later stage.**

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
40-4049	giroflex 40-4049		10 781	10 875	11 317	11 865	12 573	14 486	16 947	

### Accessories/Options/Surcharges:

7ARMR022	Armrest 3D, black plastic									1 593
	Headrest adjustable		1 004	1 019	1 059	1 111	1 177	1 366	1 592	
7ALCO006	Seat- and back-frame aluminium polished									380
7BASC013	5-arm aluminium base black									771
7BASC015	5-arm aluminium base polished									642
7TCAS028	Castors 65 mm for soft and hard floors									202
7TCAS024	Plastic glides									582
7TCAS025	Plastic glides with felt									582


# giroflex 353 Swivel Chair


## Standard configuration

Synchronised mechanism Automatic Move  
 Seat cushion with dual-zone seat profile  
 Backrest mesh Runner or upholstered  
 Seat height adjustment 39-51 cm  
 Seat shell, back frame, back upholstery plate in plastic 810 black  
 Seat depth adjustment 6 cm  
 Backrest height adjustment 6 cm  
 5-arm plastic base in 810 black  
 Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025, Möbelfakta  
 Designed by Paolo Fancelli

**Please note: To achieve AX standard compliance configuration, please contact our Customer Service**

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
353-4029	giroflex 353-4029 swivel chair Backrest mesh Runner		6 635	6 688	6 956	7 759	8 227	9 309	10 888	

353-4529	giroflex 353-4529 swivel chair Backrest upholstered		7 331	7 397	7 692	9 510	10 086	12 667	14 820	
----------	--	---	-------	-------	-------	-------	--------	--------	--------	--

## Accessories/Options/Surcharges:

AR6005	Armrest fixed	756
AR6022	Armrest 2D, plastic support black, with softpad	1 263
AR6040	Armrest 4D, plastic support black, with softpad	1 652
AR6042	Armrest 4D, aluminium support polished, with softpad	2 479
AR6045	Armrest 4D-NPR, plastic support, with softpad	2 160
HR6001	Headrest adjustable fabric / skai@Palma	1 484
HR6002	Headrest adjustable mesh Runner (Only for: 353-4029)	1 484
AE6001	Coat hanger powder coated 810 black	1 082
SE6001	Seat 3D Move	1 260
ME6002	Seat tilt adjustable (forward tilt 4°)	606
LS6001	Lumbar support depth adjustable (Only for: 353-4529)	535
LI6012	Comfort column on standard seat height 39-51 cm	273
LI6025	Special seat height 41-55 cm	464
LI6035	Special seat height 46-62 cm	464
LI6045	Special seat height 49-65 cm	464

**Accessories/Options/Surcharges:**

LI6060	Special seat height 55-72 cm	1 069
LI6080	Special seat height 62-79 cm	1 318
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	1 426
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	571
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	202
CL6003	CleanGuard seat (Only for: 353-4029)	260
CL6004	CleanGuard back/seat (Only for: 353-4529)	402

- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 49-65 cm and above


# giroflex 353 NPR Swivel Chair

## Standard configuration

Synchronised mechanism Automatic Move  
 Seat cushion with dual-zone seat profile  
 Backrest mesh Runner  
 Armrest 4D-NPR, plastic support, softpad  
 Seat height adjustment 41-55 cm  
 Seat depth adjustment 38-48 cm  
 Backrest height adjustment 6 cm  
 Seat shell and back frame in plastic 810 black  
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic or polished  
 Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025

Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
353-4029-NPR	giroflex 353-4029-NPR swivel chair		9979	10072	10473	11143	11811	12695	14847	

### Accessories/Options/Surcharges:

HR6002	Headrest adjustable mesh Runner	1484
HR6001	Headrest adjustable fabric / skai@Palma	1484
AE6001	Coat hanger powder coated 810 black	1082
SE6001	Seat 3D Move	1260
LI6035	Special seat height 46-62 cm	464
LI6045	Special seat height 49-65 cm	464
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	202
CL6003	CleanGuard seat	260




# giroflex 64 Swivel Chair

## Standard configuration

Synchronised mechanism Organicmove  
 Seat cushion with dual-zone seat profile  
 Backrest upholstered  
 Seat- and backshell in plastic 810 black  
 Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic  
 Seat height adjustment 40-52 cm  
 Seat depth adjustment 2.5 cm  
 Backrest height adjustment 7 cm  
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic  
 Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025

Designed by Walser Design / Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
64-3078	giroflex 64-3078 swivel chair Standard seat width 45 cm Low back height 47-54 cm		10 821	10 915	11 357	12 679	13 443	14 406	16 853	
64-3578	giroflex 64-3578 swivel chair Standard seat width 45 cm Medium back height 55-62 cm		12 265	12 373	12 868	14 593	15 462	16 747	19 596	
64-4578	giroflex 64-4578 swivel chair Medium seat width 48.5 cm Medium back height 55-62 cm		12 974	13 095	13 616	15 342	16 265	17 469	20 437	
<b>Accessories/Options/Surcharges:</b>										
	Upholstered backshell (Only for: 64-3078)		1 192	1 205	1 258	1 326	1 406	1 634	1 914	
	Upholstered backrest (Only for: 64-3578, 64-4578)		1 205	1 217	1 273	1 338	1 419	1 646	1 927	
AR6005	Armrest fixed									1 369
AR6020	Armrest 1D, steel support									2 160
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad									2 502
AR6039	Armrest 4D, aluminium support polished, with softpad									3 081
AR6055	Armrest 4D-NPR, aluminium support black, with softpad									2 797
AT6001	Armrest pad fabric									785
AT6002	Armrest pad leather									1 129

**Accessories/Options/Surcharges:**

CMF	Comfort upholstery	1 389
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic (Only for: 64-3578, 64-4578)	986
LS6001	Lumbar support depth adjustable	915
ME6003	Increased back tilt resistance	1 568
SD6002	Seat depth adjustment 5 cm (Only for: 64-4578)	356
PU6000	Push rod cover	202
LI6030	Special seat height 43-59 cm	475
LI6035	Special seat height 46-62 cm	475
LI6050	Special seat height 52-69 cm	1 082
LI6075	Special seat height 59-76 cm	1 342
LI6095	Special seat height 66-83 cm	1 342
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	1 437
FB6019	5-arm aluminium base polished	439
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	202
CL6004	CleanGuard back/seat	402
CL6005	CleanGuard back/seat/upholstered backshell	649

- skai®Palma and Paloma Soft: only in combination with option "comfort upholstery"
- Option "armrest pad fabric/leather": available for 1D and 4D armrests
- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above


# giroflex 64 QUILT Swivel Chair - Special Collection

## Standard configuration

Synchronised mechanism Organicmove  
 Seat cushion with dual-zone seat profile  
 Backrest upholstered  
 Comfort upholstery  
 Seat- and backshell in plastic 810 black  
 Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic  
 Seat height adjustment 40 - 52 cm  
 Seat depth adjustment 2.5 cm  
 Backrest height adjustment 7 cm  
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic  
 Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025  
 Designed by Walser Design / Paolo Fancelli

Please note that this product will be discontinued when fabrics our out of stock.

Item no	Base model +	Price Group (PG)	Price
64-3578-QUI	giroflex 64-3578-QUI swivel chair Standard seat width 45 cm Medium back height 55 - 62 cm		15 664

## Accessories/Options/Surcharges:

AR6005	Armrest fixed	1 369
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad	2 502
AR6039	Armrest 4D, aluminium support polished, with softpad	3 081
AR6055	Armrest 4D-NPR, aluminium support black, with softpad	2 797
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic	986
LS6001	Lumbar support depth adjustable	915
ME6003	Increased back tilt resistance	1 568
PU6000	Push rod cover	202
LI6030	Special seat height 43-59 cm	475
LI6035	Special seat height 46-62 cm	475
LI6050	Special seat height 52-69 cm	1 082
LI6075	Special seat height 59-76 cm	1 342
LI6095	Special seat height 66-83 cm	1 342
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	1 437
FB6019	5-arm aluminium base polished	439
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	202


- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52 - 69 cm and above

# Measurements - Office Range (1)

The stated dimensions are based on EN 1335-1 for task chairs and EN 16139 for conference and visitor chairs. Please note that measurements may be subject to change, as products are continuously re-tested.

Our test reports are regularly reviewed and updated. For the most recent information or detailed documentation, please contact our Customer Service.

## MEASURING POINTS



Measurements according to EN1335 tolerance +/- 5mm

Model			Seat height, loaded (cm)	Seat surface (cm)	Rubber sole diameter (cm)	Weight (kg)
giroflex 10	Sit-Stand Stool	10-2020	64-81	30	33	7.5
		10-3020	64-81	30	33	7.5

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Armrest height above floor (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)
giroflex 161	Visitor's Chair	161-6003	42	85	41	67	45	43	58	45				9.9
		161-6203	42	85	41	67	45	43	58	45				10.1
		161-6403	42	85	41	67	45	43	58	45				9.8
		161-6403-KNI	42	85	41	67	45	43	58	45				9.8
giroflex 313	Swivel Chair	313-4039	39-51	88-101	45		49	47	70	44	1-8	0-21	45-120	10.9
		313-4539	39-51	89-102	46		49	48	70	44	1-8	0-21	45-120	12.9
	Conference Chair	313-4018	45	94	45		49	47	70	44	0-3.7	0-13	45-120	9.7
		313-4518	45	95	46		49	48	70	44	0-3.7	0-13	45-120	10.8
giroflex 40	Swivel chair	40-4049	37.5-51.5	99.5-113.5	62	17-26	51	44.5	66	42-48	0-3	0-28	45-110	17.5

## Measurements - Office Range (2)

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Armrest height above floor (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)
giroflex 353	Swivel Chair	353-4029	39-51	99-118	59-65		49	46	70	38-44		0-21	45-120	12.3
		353-4029-NPR	41-55	99-118	59-65		49	46	70	38-48	2-9	0-21	45-120	12.4
		353-4529	39-51	100-119	60-66		49	46	70	38-44		0-21	45-120	13.6
	Conference Chair	353-3018	39-51	89-101	46	63-75	47	46	70	43				9.8
		353-3518	39-51	90-102	47	63-75	47	47	70	43				10.4
	Visitor's Chair Cantilever	353-3003	44	92	46		47	46	52	43				8.4
		353-7003	44	92	46	67	47	46	64	43				9.2
		353-3503	44	93	47		47	47	52	43				8.9
		353-7503	44	93	47	67	47	47	64	43				9.7
	Visitor's Chair 4-legged	353-3004	44	93	46		47	46	53	43				6.5
		353-7004	44	93	46	67	47	46	64	43				7.3
		353-3504	44	94	47		47	47	53	43				7
		353-7504	44	94	47	67	47	47	64	43				7.8
giroflex 434	Swivel Chair	434-3019	40-52	96-108	55		50	48	68	43		0-25	45-120	15.4
		434-4019	40-52	102-114	61		50	48	68	43		0-25	45-120	15.4
	Visitor's Chair	434-7013	42	86	39	66	49	57	57	44				10.5
		434-3003	42	88	43		47	53	53	45				8.5
giroflex 64	Swivel Chair	64-3078	40-52	92-111	47-54		45	43	66	41.5-44	0-12	0-24	45-120	17
		64-3578	40-52	100-119	55-62		45	43	66	41.5-44	0-12	0-24	45-120	17.4
		64-3578-QUI	40-52	100-119	55-62		45	43	66	41.5-44	0-12	0-24	45-120	17.8
		64-4578	40-52	100-119	55-62		48.5	43	66	41.5-44	0-12	0-24	45-120	17.7
	Executive Chair	64-9278	40-52	106-125	60-67		51	47	66	45-47.5	0-12	0-24	45-120	21.8
		64-9778	40-52	117-136	60-67		51	47	66	45-47.5	0-12	0-24	45-120	22.8
		64-9878	40-52	119-148	60-67		51	47	66	45-47.5	0-12	0-24	45-120	25.6
giroflex 68	Swivel Chair	68-3509	40-52	102-121	58-65		46	42	67	40-45	0-12	0-23	45-120	16.4
		68-3519	40-52	101-120	57-64		46	44	67	41-46	0-12	0-23	45-120	16.4

# Measurements - Adapt Range

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)
Giroflex Adapt	Laboratory	64-3078-LAB	40-52	92-111	47-54	45	43	66	41.5-44	0-12	0-24	45-120	17
		64-3578-LAB	40-52	100-119	55-62	45	43	66	41.5-44	0-12	0-24	45-120	17.4
		353-4529-LAB	39-51	100-119	60-66	49	46	70	38-44	0-12	0-21	45-120	14.3
	24/7	60-9229-24h	40-52	105-124	59-66	50	48	70	41-46	0-12	0-24	65-150	22.4
		60-9829-24h	40-52	123-152	59-66	50	48	70	41-46	0-12	0-24	65-150	26
		64-9278-24H	40-52	106-125	60-67	51	47	66	45-47.5	0-12	0-24	65-150	21.8
		64-9878-24H	40-52	119-148	60-67	51	47	66	45-47.5	0-12	0-24	65-150	25.6
	Check-out	64-3080	39-51	91-110	47-54	45	43	62	41.5-44	0-12	0-24	45-120	16.6
		64-4080	39-51	91-110	47-54	49	43	62	41.5-44	0-12	0-24	45-120	17

# Standard fabrics

## Delivery times for standard and extended colour range:

This is the Giroflex standard selection of textiles and colours. All fabrics and leather in our Standard collection are of excellent quality and come from renowned suppliers we choose to collaborate with.

Normal delivery time for Giroflex' Standard fabric collection is 15 days from factory.

The guarantee requires that routine cleaning is performed on the chair and textile/leather.

## Maintenance:

To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

Other colours than listed here are in our Extended colour collection and might fall into a different price group. Please note that colours shown in these illustrations may vary from the actual colours. Please contact your local Giroflex supplier to view a sample.

**NOTE!** Some fabrics in our Collections may not be approved for all Giroflex chairs, please contact our Customer Service for more information.

## CURA LOOP (GABRIEL) - PRICE GROUP 1

Cura Loop is a two-coloured fabric made from 100% recycled polyester textile waste. It has a matt, slightly irregular and natural-looking texture where the dark, underlying grey fibers create a discreet yet vibrant melange effect. It's high durability, stretchability and soft, voluminous touch makes Cura Loop versatile in use for most type of furniture and environments.

**Composition:** 100% post-consumer/post -industrial recycled polyester

**Weight:** 420 g/lm

**Abrasion resistance:** 100 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2, 5852 Crib 5 (on request)\*, CA TB 117-2013, DIN EN 13501-1 B-s1,d0, Class Uno UNI9175 Class 1 | EMME, ASTM E 84 Class I (Unadhered)

**Light fastness:** 6-8 (EN ISO 105 - B02)

**Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

**Pilling:** 4-5 (EN ISO 12945-2)


**Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, Contains no flame retardant chemicals, ISO 14001 certified company

**Design:** Cenk Kivrikoglu


**Produced in:** Lithuania

**Cleaning:** Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel's cleaning guidelines - [www.gabriel.dk](http://www.gabriel.dk))


\*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.




CLP60110




CLP60109



CLP60999



CLP66165



CLP61168

## XTREME (CAMIRA) - PRICE GROUP 1

Xtreme is a crepe fabric made from 100% post-consumer recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

**Composition:** 100% post-consumer recycled polyester

**Weight:** 310 g/m<sup>2</sup>

**Abrasion resistance:** >100 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 IM, NF D 60-013

**Light fastness:** 6 (EN ISO 105 - B02: 2013)

**Rubbing fastness:** 4/4 (Wet/Dry) (EN ISO 105X12)

**Pilling:** 5 (EN ISO 12945-2)

**Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

**Design:** Camira Design Studio

**Produced in:** United Kingdom

**Cleaning & disinfection:** Washable to 60°C and bleach cleanable (For further info follow Camira's cleaning guidelines - [www.camirafabrics.com](http://www.camirafabrics.com))



EXR009

EXR026

EXR046

EXR081

EXR145

## RUNNER - PRICE GROUP 2

Runner is a robust yet soft mesh quality with an airy and comfortable feel. With its self-supporting properties and stability it offers a high level of comfort in use. It is made of a mix of polyester and post-consumer recycled polyester. The three-dimensional structure combine an irregular surface pattern in a semi-transparent texture on a dense bottom layer. The palette of monochrome colours in clear but soft hues add a refined and sporty look to the furniture.

**Composition:** 80% polyester, 20% post-consumer recycled polyester

**Weight:** 510 g/m

**Abrasion resistance:** 70000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, Class Uno 9175 Class 2 I EMME,

**Light fastness:** 5-7 (EN ISO 105-B02)

**Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


**Pilling:** 5 (EN ISO 12945-2)

**Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals and harmful chemicals, ISO 14001 certified company

**Design:** Inger Mosholt Nielsen, Cenk Kivrikoglu

**Produced in:** Lithuania

**Cleaning:** Wash or dry cleaning (For further info follow Gabriel's cleaning guidelines [www.gabriel.dk](http://www.gabriel.dk))



RUN68273

RUN64159

RUN67004


RUN68186

RUN66268

RUN66248

RUN63125

RUN60123



RUN60011

RUN60025

RUN60999

RUN64089

## SELECT (GABRIEL) - PRICE GROUP 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.

**Composition:** 85% New Zealand wool, 15% polyamide

**Weight:** 510 g/lm

**Abrasion resistance:** 200 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013, IMO MSC 307(88) Annex 1 part 8/MED registration IMO

**Light fastness:** 5-8 (EN ISO 105 - B02)

**Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

**Pilling:** 4 (EN ISO 12945-2)

**Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

**Design:** Cenk Kivrikoglu

**Produced in:** Lithuania

**Cleaning:** Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - [www.gabriel.dk](http://www.gabriel.dk))



## SKAI PALMA - PRICE GROUP 2

Skai Palma is a synthetic leather made of PVC. The surface is embossed with a leather grain structure with a smooth touch. It is easy cleanable on a regular basis.

**Composition:** 89% PVC-Compound, 11% CO/PES-knitted fabric

**Weight:** 825 +/- 50 g/m<sup>2</sup>

**Thickness:** 1,3 +/- 0,2mm

**Abrasion resistance:** 100 000 Martindale (EN ISO 5470-2)

**Flammability:** DIN 4102 (part 1, B2), NF M2, BS5852 IS-0&1, EN 1021-1+2, MVSS302, FAR 25.853, ÖNORM B3825, ÖNORM A 3800-1 Q1, UNI 9175/87 (1.IM)


**Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

**Pilling:** 4-5 (EN ISO 12945-2)

**Environmental facts:** Fulfills REACH requirements, ISO 14001 certified company

**Produced in:** Germany

**Cleaning & disinfection:** For Cleaning and disinfection follow Skai's cleaning guidelines [www.skai.com](http://www.skai.com))



PLM701

## CAPTURE (GABRIEL) - PRICE GROUP 3

Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strenght. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.

**Composition:** 85% New Zealand wool, 15% polyamide

**Abrasion resistance:** 200.000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5 (on request)\*, BS 5852 Part 1 0,1 (Cigarette & match), CA TB 117-2013, Class Uno UNI 9175 Class 1 IM

**Light fastness:** 5-7 (EN ISO 105-B02)

**Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

**Pilling:** 4-5 (EN-ISO 12945-2)


**Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

**Design:** Cenk Kivrikoglu

**Produced in:** Lithuania

**Cleaning:** Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - [www.gabriel.dk](http://www.gabriel.dk))

\*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



## GAJA CLASSIC (GABRIEL) - PRICE GROUP 3

A classic cr pe structured fabric in pure new wool. Finishing treatment gives a soft surface. It has a wide colour range in both subdued and strong colours.

**Composition:** 100% pure new wool

**Weight:** 530 g/lm

**Abrasion resistance:** 50 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, Calif. Bull. 117-2013, IMO A.652 (16), UNI 9175 Class 1 IM, BS 476 Part 7 Class 1 I

**Light fastness:** 5-7 (EN ISO 105-B02)

**Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


**Pilling:** 4-5 (EN ISO 12945-2)

**Environmental facts:** EU Ecolabel, Free of heavy metals, Oeko-Tex® Standard 100, ISO 14001 certified company

**Design:** Dorte Bo Bojesen

**Produced in:** Lithuania

**Cleaning:** Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - [www.gabriel.dk](http://www.gabriel.dk))



## GRANO (JAB/CLIMATEX) - PRICE GROUP 3

Grano is a durable tightly woven fabric in a specially designed mix of natural and synthetic fibers, specially constructed to be recycled easily. It has a two-toned pattern with a textured feel.

**Composition:** 69 % Cradura™, PA, 18 % Certified Virgin Wool (WV), 13 % Redesigned Lenzing FR™, CV FR

**Weight:** 465 g/lfm

**Abrasion resistance:** 465'000 Martindale, EN ISO 12947-2

**Flammability:** EN 1021-1/2, BS 5852-0/1, IMO Resolution MSC 307 (88) Annex 1, Part 8, California TB 117, Class 1, NFPA 260

**Light fastness:** 6, EN ISO 105-B02

**Rubbing fastness:** 4/4-5 (Wet/Dry) (EN ISO 105-X12)

**Pilling:** 5 (EN ISO 12945-2)

**Environmental facts:** Oeko-Tex® Standard 100, 100% Free of heavy metals, Cradle to Cradle Certified™ Silver, recyclable.

**Designed by:** Climatex Design team

**Produced in:** Germany



GRO099

GRO094

GRO051

## MAINLINE FLAX (CAMIRA) - PRICE GROUP 3

Main Line Flax is made from a 75/25 wool flax blend, then fibre dyed to create a mixture coloured yarn, The yarns are woven into solids and cross-colours giving a tweed like look and a delicate touch. The combination of wool and flax also creates an inherently flame retardant fabric all based on natural sources.

**Composition:** 75% Virgin Wool, 25% Flax

**Abrasion resistance:** > 50 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Crib 5, CA TB 117-2013, IMO FTP Code (Part 8), UNI 9175 Classe 1 IM

**Light fastness:** 5 (EN ISO 105-B02)

**Rubbing fastness:** 3/4 (Wet/Dry) (EN ISO 105X12)

**Pilling:** 4 (EN ISO 12945-2)

**Environmental facts:** EU Ecolabel, Indoor Advantage™ "Gold", Free of heavy metals, ISO 14001 certified company, Rapidly renewable and compostable

**Design:** Camira Design Studio

**Produced in:** United Kingdom

**Cleaning:** Professional dry cleaning (For further info follow Camira's cleaning guidelines – [www.camirafabrics.com](http://www.camirafabrics.com))



MLF032

MLF002

MLF020

## OCEANIC (CAMIRA) - PRICE GROUP 3

Oceanic is made from 100 % post-consumer recycled polyester yarn where 90% are created from post-consumer plastic bottles diverted from landfill and 10% is upcycled marine plastic(from marine litter). It is a fabric born out of the SEAQUAL Initiative designed to combat marine plastic pollution and achieve a waste free environment. Oceanic has a two coloured diagonal structure with a matte surface and soft touch.

**Composition:** 100 % post-consumer recycled polyester, including 50% SEAQUAL yarn

**Weight:** 497 g/m<sup>2</sup> ±5%

**Abrasion resistance:** >100 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low, BS 7176 Medium Hazard with EnviroFlam5, CA TB 117-2013

**Light fastness:** 5 (EN ISO 105 - B02: 2013)

**Rubbing fastness:** 4/4 (Wet/Dry) (EN ISO 105X12)


**Pilling:** 4 (EN ISO 12945-2)

**Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

**Design:** Camira Design Studio

**Produced in:** United Kingdom

**Cleaning & disinfection:** Washable at 60 °C and bleach cleanable (For further info follow Camira´s cleaning guidelines – [www.camirafabrics.com](http://www.camirafabrics.com))



OCI001

OCI008

OCI011

OCI012

OCI014

## PARCEL LOOP (GABRIEL) - PRICE GROUP 3

Parcel Loop is made from 100% post-consumer/post-industrial recycled polyester, combining recycled textile waste from customers and from used plastic bottles. It has a matt, multi- directional texture in a subtle colour-shifting colour mix. Its softness combined with high durability makes it suitable for all types of furniture in the works space.

**Composition:** 100% post-consumer/post -industrial recycled polyester

**Weight:** 480 g/lm

**Abrasion resistance:** 100 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2, BS 5852 Crib 5 (on request)\* CA TB 117-2013, ASTM E 84 Class I (Unadhered)

**Light fastness:** 6-8 (EN ISO 105 - B02)

**Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

**Pilling:** 4-5 (EN ISO 12945-2)


**Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, Contains no flame retardant chemicals, ISO 14001 certified company

**Design and colours:** Cenk Kivrikoglu/ Luisa Allegri

**Produced in:** Lithuania

**Cleaning:** Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines – [www.gabriel.dk](http://www.gabriel.dk))

\*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



PCL1202

PCL1302

PCL2001

PCL2401

## STEP (GABRIEL) - PRICE GROUP 3

Step is unique in both texture and performance. With its delicate surface, Step is perceived as vivid and interesting. The texture with the fire-resistant Trevira CS yarn ensures that the fabric is suited for use in environments with high fire safety and durability requirements.

**Composition:** 100% Trevira CS

**Weight:** 336 g/m<sup>2</sup>

**Composition:** 100% Trevira cs

**Abrasion resistance:** 100 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Certificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM

**Light fastness:** 5-7 (EN ISO 105 - B02)

**Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


**Pilling:** 4-5 (EN ISO 12945-2)

**Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

**Design:** Inger Mosholt Nielsen

**Produced in:** Lithuania

**Cleaning:** Professional dry cleaning (For further info follow Gabriel's cleaning guidelines [www.gabriel.dk](http://www.gabriel.dk))



SE64159

SE60999

SE60011

SE64013

SE67004

## STEP MELANGE (GABRIEL) - PRICE GROUP 3

Step Melange is woven in Trevira CS, an extremely hard-wearing fire-resistant material. With its simple, discreet and heathered structure, Step Melange can be combined in numerous ways, not least with its unicoloured partner Step.

**Composition:** 100% Trevira cs

**Weight:** 336 g/m<sup>2</sup>

**Abrasion resistance:** 100 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Certificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM B3825, ÖNORM 3800-1q1

**Light fastness:** 5-7 (EN ISO 105 - B02)

**Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


**Pilling:** 4 (EN ISO 12945-2)

**Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

**Design:** Cenk Kivrikoglu

**Produced in:** Lithuania

**Cleaning:** Professional dry cleaning (For further info follow Gabriel's cleaning guidelines [www.gabriel.dk](http://www.gabriel.dk))



STM67004

STM64159

STM66018

STM60011

## SYNERGY (CAMIRA) - PRICE GROUP 3

Synergy is a lightly felted wool fabric with a soft-handle. The range feature fibre dyed shades and piece dyed solids.

**Composition:** 95% pure new wool, 5% polyamide

**Weight:** 400 g/m<sup>2</sup> ±10%

**Abrasion resistance:** >100 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 7176 Low Hazard, NFD 60-013, UNI 9175 Classe 1 IM, IMO FTP Code (Part 8), EN 13501-1 Adhered Class D, s1, d0

**Light fastness:** 5 (EN ISO 105 - B02)


**Rubbing fastness:** Wet: 4, Dry: 4 (EN ISO 105 - X12)

**Environmental facts:** EU Ecolabel, Indoor Advantage Gold, ISO 14001 certified company

**Design:** Camira Design Studio

**Produced in:** United Kingdom

**Cleaning & disinfection:** Professional dry cleaning (For further info follow Camira's cleaning guidelines - [www.camirafabrics.com](http://www.camirafabrics.com))



SGY016

SGY017

SGY008

## TECHNICOLOUR (KVADRAT) - PRICE GROUP 3

Technicolour is a worsted wool fabric made from 100% british wool. It is created by using a specially developed colour system which unfolds different ranges of melange colours. Each colourway unites two yarns in a plain weave construction, expressing a sense of subtle variation. Its colourmoods in combination with softness and strength gives it versatility in use across all types of work spaces.

**Composition:** 100% british wool, worsted

**Weight:** 430 g/lm

**Abrasion resistance:** 80 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2 (Cigarette & match, BA5852 Crib 5 (on request)\*, CA TB 117-2013, BS 5852 part 1, BS 7176 Low Hazard, NF D 60013, UNI 9175 1IM, ASTM E84 Class A Unadhered/Adhered, IMO FTP Code 2010 Part 8,

**Light fastness:** 7 (EN ISO 105-B02)

**Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

**Pilling:** 4 (EN ISO 12945-2)


**Environmental facts:** EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

**Design:** Peter Saville

**Produced in:** United Kingdom

**Cleaning:** Professional dry cleaning (For further info follow Kvadrat's cleaning guidelines - [www.kvadrat.dk](http://www.kvadrat.dk))

\*Requires chemical treatment to meet Crib5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



TEH0690

TEH0110

TEH0890

TEH0520

TEH0260

## STEELCUT 3 (KVADRAT) - PRICE GROUP 4

Steelcut 3 is a unicoloured strong worsted wool and polyamide woven fabric, combining durability, soft touch and colour depth. The construction create a three-dimensional surface resembling small pyramids or steel points. Despite its complex weaving technique, it has a simple and precise expression.

**Composition:** 90% worsted New Zealand wool, 10% polyamide

**Weight:** 825 g/lm

**Abrasion resistance:** 100 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (on request)\*, BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, ASTM E84 Class A Unadhered, ASTM 84 Class B Adhered

**Light fastness:** 6 (EN ISO 105-B02)

**Rubbing fastness:** 3-5/4-5 (Wet/Dry) (EN ISO 105X12)

**Pilling:** 3-4 (EN ISO 12945-2)

**Environmental facts:** EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

**Design:** Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

**Produced in:** United Kingdom

**Cleaning:** Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat's cleaning guidelines – [www.kvadrat.dk](http://www.kvadrat.dk))

\*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



STT682

STT190

## STEELCUT TRIO 3 (KVADRAT) - PRICE GROUP 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. Like Steelcut 3, despite the complexity of the textile's innovative weave, it has a simple, precise expression.

**Composition:** 90% worsted New Zealand wool, 10% polyamide

**Weight:** 770 g/lm

**Abrasion resistance:** 100 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (on request)\*, BS 5852 part 1, BS 5852 ignition source 3, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, GB 50222 B1 with treatment (Chinese)

**Light fastness:** 6-7 (EN ISO 105-B02)

**Rubbing fastness:** 3-5/4-5 (Wet/Dry) (EN ISO 105X12)

**Pilling:** 4 (EN ISO 12945-2)


**Environmental facts:** EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

**Design:** Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

**Produced in:** United Kingdom

**Cleaning:** Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat's cleaning guidelines – [www.kvadrat.dk](http://www.kvadrat.dk))

\*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



STT966

STT133

STT153

STT213

STT253

STT383

STT645

STT796

## PALOMA (WOLLSDORF) - PRICE GROUP 6

Paloma is a high quality chrome free Semi-Aniline leather from cattle in the European Alpine region. All our standard colours from Paloma have a special finish adding a particular softness to the leather. It has excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

**Flammability:** BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO A.652 (16)

**Light fastness:** 6 (EN ISO 105-B02)

**Rubbing:** Wet 80/4 -Dry 2000/4 - Sweat 50/4 - ISO 11640

**Finish-adhesion:** 2.0 N/cm ISO 11644


**Tear-strength:** 20 N/mm DIN 53329- A

**Environmental facts:** Tanned without using chromium salts, BlueAngel, ECO2L-certificate, ISO 14001 certified company, Internal waste water treatment plant.

**Produced in:** Austria, predominantly using raw hides from red-spotted cattle

**Animal Welfare** All hides are by-products from the meat and dairy industries, only use hides from healthy and uninjured animal. Following European standards as a minimum and the "Five Freedoms" of livestock as defined by FAWC (Farm Animal Welfare Council)

**Cleaning:** Follow the leather care guide from our supplier - [www.wollsdorfleather.com](http://www.wollsdorfleather.com)



PL55130

PL56100

PL55115

PL55185

PL05429

PL55206

## ELMOSOFT (ELMO) - PRICE GROUP 7

Elmosoft is a chrome free supreme quality semi-aniline grain leather from Scandinavian cattle. It is soft and pliable with an outstanding comfort and durability. Visible insect-bites and scars from healed wounds add to the authentic quality and character of the leather.

**Thickness:** 1.1 - 1.3 mm

**Flammability:** BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8 (IMO652), UNI 9175, Önorm B 3825, UNI 9175

**Light fastness:** 6 (EN ISO 105-B02)

**Rubbing:** Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640

**Finish-adhesion:**  $\geq 2$  N/cm - ISO 11644


**Tear-strength:**  $\geq 20$  N/cm DIN 53329-A

**Environmental facts:** Free of heavy metals, tanned without using chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment Plant and 100% CO<sub>2</sub> neutral on energy.

**Animal Welfare:** All hides are by-products from the meat and dairy industries with traceability back to the farm, Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal welfare freedoms)

**Produced in:** Sweden

**Cleaning:** (Follow the guidelines by our supplier - [www.elmoleather.com](http://www.elmoleather.com))



EL99999

EL93068

EL33004

# Product specific fabrics

This is Giroflex selection of special textiles for certain products.

**Maintenance:** To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

**NOTE!** Colours on screen or in print might differ from reality. Other colours than listed here are in our Extended colour collection and might fall into a different price group.

## STRONG (JAB/CLIMATEX) - PRICE GROUP 3

Strong is a durable 24/7 fabric specially designed with Climatex® Dualcycle™. It's unique weave construction and fiber mix make it climate-regulating, moisture absorbent and flame retardant. This enables good abrasion resistance for long-term use in the most demanding environments. It's honeycomb patterned texture creates depth and a smooth touch.

**Composition:** 72% Cradura™ (PA), 16% Certified virgin wool (WV), 12% redesigned Lenzing FR™(CVFR)

**Weight:** 415 g/lm

**Abrasion resistance:** 500 000 Martindale (EN ISO 12947-2)

**Flammability:** EN 1021-1/2, BS 5852-0/1, CA TB 117-2013, IMO FTP Code 2010 Part 8

**Light fastness:** 6-7 (EN ISO 105 - B02)

**Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

**Pilling:** 4 (EN ISO 12945-2)


**Perspiration fastness:** 5/5 (alkaline/acid) (EN ISO 105-E04)

**Environmental facts:** Cradle to Cradle Certified™ gold, Oeko-Tex® Standard 100, recyclable

**Design:** Climatex Design team

**Produced in:** Germany

For giroflex 60 and giroflex 64- 24h chairs



STO099

## SYNERGY QUILT HOURGLASS (CAMIRA) - PRICE GROUP OD\*

Synergy Quilt is a wide width, quilted version of our soft-handle wool blend fabric, Synergy. Foam backing and wadding form the density of the quilt, with lighter shades being stitched in white thread and darker shades stitched in black thread, to create Channel, Chevron or Hourglass patterns.

**Composition:** 95% pure new wool, 5% nylon with polyester and polyurethane foam backing

**Weight:** 700 g/m<sup>2</sup> ±10%

**Abrasion resistance:** 100 000 Martindale (EN ISO 12947-2)

**Flammability:** CA TB 117-2013, NFPA 260 + UFAC Class 1, BS 7176 Low Hazard, ASTM E84 Class 2 or B (Adhered), ASTM E84 Class 2 or B (un-adhered)

**Light fastness:** 5 (EN ISO 105 - B02)

**Rubbing fastness:** Wet: 4, Dry: 4 (EN ISO 105 - X12)

**Environmental facts:** Non metallic dyestuffs, ISO 14001 certified company

**Design:** Camira Design Studio

**Produced in:** United Kingdom

**Cleaning & disinfection:** Washable to 60 °C and bleach cleanable (For further info follow Camira's cleaning guidelines - [www.camirafabrics.com](http://www.camirafabrics.com))


Only for giroflex 64-3578-QUI (Available on Demand as long as stock lasts)




QSH17




QSH35



QSH62



QSH69



QSH84

## SOFTTOUCH

Softtouch is a self-supportive semi-translucent mesh fabric with a comfortable feel.

**Composition:** 76% polyester, 23% poyamide, 1% stainless steel

**Abrasion resistance:** 40 000 Martindale (EN ISO 12947-2)

**Flammability:** EN 1021 1

**Light fastness:** 5-7 (EN ISO 105 - B02)


**Rubbing fastness:** 5/4 (Wet/Dry) (EN ISO 105X12)

**Environmnetal facts:** ISO 14001 certified company

**Designed by:** Krall & Roth design team

**Produced in:** Germany

Mesh fabric – only for backrest giroflex 68



N460

## KNIT MESH (CAMIRA)

Knit161 is a self-supporting mesh, uniquely designed to conform to the backrest of the giroflex 161 visitor chair. The knit has a soft touch with a comfortable airy feel which offers comfort and support to the user. It's solid open structure has a repetitive organically shaped pattern with a visual depth in its texture.

**Composition:** 100% polyester

**Abrasion resistance:** 28 000 Martindale (EN ISO 12947-2)

**Flammability:** BS EN 1021 1&2 (Cigarette & Match), BS7176: 2007 low hazard

**Light fastness:** 6 (EN ISO 105 - B02)

**Pilling:** 4-5 (BS EN ISO 12945-2)

**Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, Free of heavy metals


**Design:** Camira Technical Knitting team & Flokk Design team

**Produced in:** United Kingdom

**Cleaning & disinfection:** Bleach cleanable (For further info follow Camira´s cleaning guidelines – ([www.camirafabrics.com](http://www.camirafabrics.com)))

KNI100, KNI101, KNI102, KNI104 available as long as stock lasts

Mesh only for giroflex 161-6403 and giroflex 161-6403-KNI



KNI099

KNI100

KNI101

KNI102

KNI104

## NET – TRICOT

Net - Tricot is a shapeknitted self-supporting polyester fabric specially designed for the giroflex 434 mesh back models.

**Composition:** 100% polyester flame retardant (Trevira CS)

**Abrasion resistance:** 40 000 Martindale (EN ISO 12947-2)


**Flammability:** DIN 4102 B1, EN 1021 1&2, NF P 92501-7/M

**Light fastness:** 4-5 (EN ISO 105 - B02)

**Rubbing fastness:** 4/4 (Wet/Dry) (EN ISO 105X12)

N471, N472, N474 available as long as stock lasts

Mesh only for giroflex 434



N470

N471

N472

N474

N475

N476

N477

\* OD – Price on demand

# Extended Fabric & Colour Collection

In addition to our Standard Fabric & Colour Collection we also offer an expanded selection of textiles in different colours from different textile suppliers who we work with.

**NOTE!** Some fabrics in our Collections may not be approved for all Giroflex chairs, please contact our Customer Service for more information.

Supplier/Collection	Price group
<b>Camira Fabrics - <a href="http://www.camirafabrics.com">www.camirafabrics.com</a></b>	
Blazer	3
Mainline Flax*	3
Oceanic*	3
Quest	3
RePlay	3
Synergy*	3
Xtreme*	3
<b>Climatex/Jab - <a href="http://www.climatex.jab.de">www.climatex.jab.de</a></b>	
Grano*	3
Strong* <sup>2)</sup>	3
<b>Elmo - <a href="http://www.elmoleather.com">www.elmoleather.com</a></b>	
Elmosoft* <sup>1)</sup>	OR
<b>Gabriel - <a href="http://www.gabriel.dk">www.gabriel.dk</a></b>	
Capture*	3
Cura Loop*	3
Cura	3
Comfort+	5
Focus	3
Focus Melange	3
Focus Royal	3
Gaja Classic*	3
Lense	3
Nobel	4
Parcel Loop*	3
Renewed Loop	3
Runner*	2
Select*	2
Step (Trevira CS)*	3
Step Melange (Trevira CS)*	3
Tonal	3

## COM (Customer's Own Material)

Delivery time is more than 20 working days from factory and confirmation of order, transport in addition. Extra time for testing and approval of fabrics may also occur. Price group 3.

## Special

Other fabrics. Prices and delivery on request.

Supplier/Collection	Price group
<b>Kvadrat - <a href="http://www.kvadrat.dk">www.kvadrat.dk</a></b>	
Canvas 2	4
Naveli	4
Remix 3	3
Steelcut 3*	4
Steelcut Quartet	4
Steelcut Trio 3*	4
Technicolour*	3
Vidar 4	6
<b>Ludvig Svensson - <a href="http://www.ludvigsvensson.com">www.ludvigsvensson.com</a></b>	
Semi	3
<b>Skai - <a href="http://www.skai.com">www.skai.com</a></b>	
Skai Palma*	3
<b>Wollsdorf - <a href="http://www.wollsdorf.com">www.wollsdorf.com</a></b>	
Paloma - Leather*	OR

\* Non standard colours

OR = on request

<sup>1)</sup> = Not for LAB/24H/cashier

<sup>2)</sup> = Only for giroflex 60 and 64 -24h chairs



**Flokk is a family of design-led brands shaping workspaces where people and organisations thrive.**

From our roots in Scandinavian task seating design, we've grown into a global leader in workspace solutions – creating furniture that supports people wherever and however they work.

The name Flokk comes from the Norwegian word for “group” or “herd”. It reflects our belief that workspaces should bring people together – to focus, collaborate and connect.

We believe great design can do more than look good. It can enhance well-being, enable productivity, and help reduce environmental impact. We work closely with architects, designers, and businesses to shape workspaces where people feel supported, valued, and able to do their best.

Our collection of brands brings this purpose to life – delivering thoughtful, durable solutions for every kind of workspace and every kind of person.

Our growing family includes renowned names such as HÅG, Offecct, Giroflex, RH, Profim, Stylex, 9to5 Seating, Via Seating, Connection, and Malmstolen – each with its own identity, yet united by a shared commitment to design quality.

Headquartered in Oslo, Norway, we have production sites across Europe, North America, and Asia, including Røros (Norway), Nässjö (Sweden), Turek (Poland), Mirfield (UK), Zhongshan (China), Hawthorne (USA), Delanco (USA) and Reno (USA). Our global reach is supported by sales offices in over 15 countries, serving customers in more than 80 markets.

With around 2,000 dedicated employees, we work together to bring better spaces to life and to fulfil our vision; to **inspire great work**

Flokk AB  
Showroom Försäljning  
Box 17198 | 104 62 Stockholm  
Rosenlundsgatan 40, trapphus B 3 tr.  
118 53 Stockholm  
Sweden  
info-se@flokk.com

Showroom & Produktion  
Vallgatan 1 | Box 294 | 571 23 Nässjö  
Tel: 0380-55 53 00 | Fax: 0380-182 85  
Email: info-se@flokk.com  
Web: www.flokk.com

Front page  
Chair model: Giroflex 313  
Fabric: Back // Light beige Runner RUN61128. Seat// Leather Natura (ICA)  
Light beige (LE123)